Chan, S.S.-W., 617 Chan, Y.H., 8 Chand, B., 1173 Chang, A.M., 37, 916 Chang, C.-C., 134 Chang, C.-J., 1177 Chang, C.-Y., 320, 574 Chang, D.-C., 802 Chang, J.-H., 1016 Chang, K.-P., 757 Chang, W.-H., 249 Chang, Y.-C., 130, 131, 134, 900, 1017, 1175 Chaou, C.-H., 1034 Chapman, J., 980 Chase, M.E., 227 Chen, C.-C., 632, 753 Chen, C.-L., 1176 Chen, E.H., 552 Chen, H.-C., 517 Chen, H.-W., 1021 Chen, H.Y., 1018 Chen, H.-Y., 1034 Chen, I.-C., 385 Chen, J.-C., 1017 Chen, J.-D., 320, 574, 975 Chen. K.-T., 258 Chen. M.-H., 935 Chen, N.-F., 1176 Chen, P.-C., 123, 759 Chen, R.-J., 792 Chen, S.-J., 757 Chen, S.-Y., 370 Chen, W., 256 Chen, W.-C., 256, 257 Chen, W.-J., 634 Chen, W.-K., 127 Chen, W.-L., 251, 253 Chen, Y., 701 Chen, Y.-C., 1180 Chen, Y.-H., 258 Chen, Y.-J., 253 Chen, Y.-Q., 516 Chen, Y.-S., 127 Chen, Y.-Y., 1010 Cheng, B.H., 1019 Cheng, B.-H., 758 Cheng, S., 563 Cheng, S.-M., 903, 1175 Chen-Scarabelli, C., 898 Cherian, P.K., 216 Chem, C.-H., 975 Chi, C.-H., 1106 Chia, W.-T., 127 Chiang, C.-H., 123, 1019 Chiang, W.-C., 370 Chien, D.-K., 249 Chien, Y.-Y., 517 Chin, T., 901 Chiu, C.-C., 252 Chiu, H.-M., 802 Chiu, T.-F., 130, 131, 252, 900 Chiu, Y.-H., 320, 975 Choe, G.H., 859 Choe, S.M., 859

Choe, S.P., 859

Choi, H.J., 961, 1178

Choi, Y., 899 Chomut, A., 754 Chong, C.-F., 632 Chookun, J., 898 Chou, M.-H., 385 Chou, Y.-H., 320, 574 Chu, H.-Y., 752 Chu, K.-M., 903, 1175 Chu, P., 1180 Chu, S.-J., 627, 1022, 1025 Chuang, C.-C., 1177 Chuang, Y.-M., 634 Chung, P.-K., 792 Chung, S.-D., 133 Ciccarelli, M., 255 Claessens, Y.-E., 303 Clark, R., 641 Clark, S., 191 CLEAR Investigators, 119 Clerici, D., 986 Cline, S.D., 843 Cobanoglu, M., 902 Cobo, M.E., 76 Coffman, B., 641 Cohen, D.C., 255 Cohen, M., 720 Coignard, S., 254 Colfax, J.D., 428 Collins, S.P., 293, 397 Coll-Vinent, B., 660 Combes, X., 1060 Conatser, P., 428 Cone, D.C., 1136 Cooper, H., 377 Copetti, R., 379 Coppola, M., 691 Corres, J., 76 Corum, B., 641 Coskun, H., 757 Coskun, S., 902 Costantino, G., 1103 Coste, J., 303 Counselman, F.L., 691 Cox, M.J., 227 Crandall, C., 135 Cresto, E., 1159 Crocker, P., 377 Cross, C.L., 227, 997 Cui, J., 525 Cuñe, J., 466 Cydulka, R., 363 Cydulka, R.K., 191, 1039

Damergis, J.A., 1085
Dang, T.D., 344
Daniel, S., 96
Dannemann, N., 43, 366
Dasti, A., 864
David, H., 515
Dawes, D.M., 413, 747
Day, L.T., 510
De Bels, D., 755
de Boer, L., 630
de la Plata, A.M., 1174
De Lorenzo, R.A., 1055
De Luca, G., 683, 712
De Miguel-Yanes, J.M., 668

De Pascale, A., 1159 de Rooij, S.E., 23 De Simone, C., 756 Dean, A.J., 552 Debaty, G., 570 Dekker, L.R., 271 Demiryurek, A.T., 169 Derr, C., 632 Desimonas, N., 1183 Dessertaine, G., 570 Dettmer, T., 641 Devriendt, J., 755 Dhainaut, J.-F., 303 Di Bartolomeo, S., 379 Dickman, E., 71 Diegel, R., 922 Dieppe, C., 368 Docherty, M., 875 Doctor, S., 369 Doiny, D., 376 Donahue, S.P., 851 Donderici, O., 838 Donghoon, L., 956 Dongwun, S., 956 Donlan, S.M., 856 Donovan, J.W., 1174 Dontas, I., 651 Dooley, M., 259, 436 Douglass-Bright, A., 536 Drago, L.A., 536 Drociuk, D., 1 Ducassé, J.-L., 1020 Ducassé, J.L., 898 Duman, H., 251 Dumas, F., 254 Duong, D., 1176 Durand, M., 570 Durani, Y., 942 Durmaz, D., 252 Dushnistky, T., 1123

Eckman, M.H., 293 Edlich, R.F., 227, 997 Egan, M., 942 Eken, C., 252, 365, 905 Ekleberry, S.E., 911 El Hor, T., 755 Elder, M., 374 Elias, M., 1018, 1025 Ellison, E., 63 Emet, M., 132, 508, 626 Emre, H., 626 Enajat, M., 630 Engelhard, H.H., 517 Engledow, A., 255 Enslow, W., 160 Enye, S., 625 Epstein, S.K., 328 Er, T.K., 1019 Er, T.-K., 123, 758, 759 Ernst, A.A., 641, 830 Erol, B., 252 Eryılmaz, M., 409, 765 Etteri, M., 986 Eunkyung, E., 956 Evans, D.P., 631 Exadaktylos, A.K., 246

Famularo, G., 756 Fan, H.-C., 757 Fang, C.-C., 370, 1016 Farcy, D., 983 Fasano, C.J., 756 Fava, C., 633 Felice, K.L., 901 Feng, H., 197 Fengler, B.T., 84 Ferdinands, J., 1 Fermann, G.J., 816 Fernández, M., 1069 Fernández-Valencia, J.A., 373, 466 Ferrara, L., 980 Feucht, E.C., 843 Fine, M.J., 544 Fishbein, D., 1027 Fisher A I 227 Fisher, J.D., 1179 Flaherty, M.L., 141 Follansbee, C., 37 Font, L., 373 Fourcade, O., 898 Fowler, J.R., Jr., 1049 Frakes, M.A., 49 Frame, J., 371 Frascisco, M.F., 128, 1159 Frederiksen, S., 182 Friedman, J.N., 797 Fu, C.-Y., 792

Fullerton-Gleason, L., 830

Gaber-Patel, K., 900 Gallerani, M., 244, 1096 Gallori, S., 758 Gamberini, S., 1096 Ganapathy, R., 625 Gandhi, S., 375 Gando, S., 470 Gangnon, R.E., 454 Ganzeboom, K.S., 271 Garbe, P., 1 Garcia, D., 492 Garcia-Molina, E., 634 Gardi, D.O., 374 Gasbarrone, L., 756 Gaspari, R., 71 Gay, K.P., 1013 Geoghegan, A., 243 Gerard, W.A., 691 Gerstein, N., 266 Ghaemmaghami, C., 375 Gibler, W.B., 816 Gibson, C.M., 595 Gibson, J.J., 1 Gillman, P.K., 509 Gimeno, J., 634 Gimeno, J.R., 1024 Gin, M.T.J., 899 Ginés, M.A.R., 123, 758, 1019 Gini, G., 986 Ginos, C., 755 Giugliano, R., 720 Glikstein, R., 96 Goffman, T.E., 1142, 1144

Goksu, E., 129, 627 Goldman, R.D., 797 Goldner, D.E., 632 Goldshtein, B., 262 Goldstein, L., 641 Goldstein, L.H., 761 Gómez-Angelats, E., 660 Gonzales, R., 582 González-Ramallo, V.J., 668 Good, C.B., 544 Gopal, S.V., 372 Goran, K.P., 236, 1169 Gorchynski, J., 371, 514 Goslings, J.C., 23 Gottignies, P., 755 Goulas, S., 651 Grajek, S., 1181 Grancelli, H., 376 Granger, C.B., 720 Greenberg, M.R., 1150 Grégo, J.-C., 675 Grimes, D.E., 344 Grimes, R.M., 344 Gross, E., 119 Gu, B., 751 Gubler, K.D., 227 Gumpert, R., 133, 505, 1024 Gunay, N., 169, 1022 Gunaydin, Y.K., 838 Gunduz, A., 424, 635 Guo, F., 212 Gupta, A., 293 Gupta, N., 513 Gurbel, P.A., 720 Güryay, S.M., 1049

Hacimuftuoglu, A., 626 Haine, S., 1182 Halberg, M.J., 134, 504 Hall, J., 641 Halpenny, D., 243, 624 Hamaoka, T., 1173 Hamm, J., 337 Hammer, L., 570 Han, C.-L., 894 Hansen, A., 847 Haritos, D., 514 Harlak, A., 409, 765 Harris, B., 333 Harris, C., 901 Harris, R.E., 182 Hartman, N., 337 Hatem, S., 1173 Hatzitheofilou, K., 1183 Hautalahti, J., 1020 Hayakawa, M., 470 Haznedaroglu, I.C., 631 Heard, A.M., 504 Heard, K., 607 Heffernan, R., 419 Heiner, J.D., 1023 Helia, R.-E., 1182 Helmick, T., 1174 Hémery, F., 675

Henderson, S.O., 1181

Hendricks, E.J., 1010

Herkner, H., 460

Herlitz, J., 202 Herres, J., 1179 Hervé, J., 675 Higgins, G.L., III, 779 Hill, M.C., 449 Hiller, N., 262 Hiltunen, T., 948 Hirsch, R., 449 Ho Lim, T., 513 Ho, J.D., 413, 747 Ho, K.K., 16 Hobley, K., 641 Hodgman, M., 122 Hoekstra, J., 720 Hoffman, R.J., 983 Hoffman, R.S., 475 Hoffmann, U., 43, 366 Hogan, C., 770 Holguin, F., 1 Holland, M.G., 122 Hollander, J.E., 37, 552, 595, 720, 916 Höllinger, K., 176 Holstege, C.P., 492 Holzer, M., 460 Hong, F.J., 1019 Hong, T.Y., 859 Hong, Y.-C., 385 Hongo, Y., 754 Hoppe, J., 607 Hoppu, K., 128 Horswell, R.L., 1027 Horton, C.L., 1111 Houze-Cerfon, C.-H., 1020 How, C.-K., 975 Hsi, S.-C., 516 Hsia, T.-C., 257 Hsiao, C.-T., 385 Hsu, C.-W., 627, 1022 Hsu, T.-F., 975 Hsu, T.-Y., 900 Hsueg, C.-H., 1175 Hu, S.-C., 574 Huang, C.-C., 123 Huang, C.-H., 127 Huang, C.-I., 320, 975 Huang, H.-C., 792 Huang, M.-K., 753, 975 Huang, M.-S., 895 Huang, S.-L., 1175 Huang, S.-T., 249 Huang, T.-Y., 632 Huang, W.-Y., 517 Huff, J.S., 220 Hurdle, A.C., 250 Hutson, H.R., 747

lde, T., 992 Inaba, A.S., 810 Ippolito, S., 1103 Iralde, G.R., 376 Ishihara, H., 626 Ishimatsu, S., 153, 902 Isserman, J.A., 552

Hwang, J., 514

Hwang, U., 333

Hwang, S.O., 961

Jabre, P., 1060 Jacob, L., 1060 Jacob, S., 216, 374 Jacobson, G., 519 Janchar, T., 770 Janchar, T.A., 413 Jankelevich, S., 1 Jauch, E., 141 Jaulin, C., 1060 Jeanmonod, D., 255, 754 Jeanmonod, R., 255, 313, 754 Jeanmonod, R.K., 510 Jegou, D., 303 Jesse, R.L., 146 Jiménez, S., 660 Jiun-Ting, W., 1019 John, S.K., 216 Jones, J.S., 922 Jones, R., 363 Jong, Y.-J., 123 Jorgenson, C., 691 Jost, C.A., 397 Jung, I., 1069 Junsig, K., 956

Kalkan, A., 424 Kamakura, K., 754 Kamijo, Y., 992 Kan, P.G., 503 Kane, B.G., 131, 1174 Kane, K.E., 131, 1174 Kang, H., 751 Kao, L.-Y., 530 Kao, P.-C., 370 Kapur, R., 253 Karaduman, S., 1049 Karahan, S.C., 635 Karatas, A.D., 1177 Karlberg, I., 202 Kavalci, C., 838 Kekilli, M., 631 Kelly, A.-M., 525 Kern, P., 911 Kersey, A.S., 582 Khan, R.A., 752 Khera, K., 628 Kiblböck, D., 176 Kierzek, G., 254 Kilicaslan, I., 902 Kim, G.J., 1076 Kim, H., 961 Kim, M., 55 Kim, S.U., 859 Kim, Y.K., 961 Kim, Y.M., 859 Kimura, H., 371 Kipfer, P., 397 Kirby, M.A., 797 Kirsch, N.L., 182 Kissela, B., 141

Kit, Y.C., 1013

Ko, K.-H., 1025

Kleindorfer, D., 141

Klein-Schwartz, W., 911

Kittisupamongkol, W., 247, 893

Kahn, C.A., 785

Kajander, O.A., 1020

Ko, S.-C., 368 Kociszewski, C., 49 Kogan, A., 889 Koh, S.K., 16 Koksal, H., 239 Kontos, M.C., 146, 397, 779 Kontou, P., 968 Kooyoung, J., 956 Koracevic, G.P., 1016 Kose, A., 169, 1022 Kose, B., 1022 Kosmicki, D., 397 Koudouna, E., 651 Kouloumberis, P., 517 Kouni, S.A., 506 Kounis, G.N., 506 Kounis, N.G., 506 Kouritas, V.K., 1183 Kouskouni, E., 651 Kozak, O., 409, 765 Kozer, E., 761 Kramer, M., 419 Krivoy, A., 1123 Krucke, G.W., 344 Kshirsagar, A.V., 753 Kuan, J.-T., 385 Kuar, W.-K., 368 Kucukyilmaz, O., 129 Kuegler, B., 505 Kügler, B., 133 Kuisma, M., 440, 948 Kulstad, E.B., 776 Kunkel, S., 911 Kuo, C.-F., 900 Kuran, S., 631 Kurt. M., 631 Kuti, J.L., 968

Kythreotis, P., 755 Lacquiere, D.A., 504 Lacunza, J., 634 Laggner, A.N., 460 Lagi, A., 758 Lamminpää, A., 128 Lancaster, P., 428 Lang, W., 176 Langdorf, M.I., 785 Lanigan, M., 1131 Lannum, S., 628 Larréché, S., 247 Lau, B.-H., 632 Lau, K., 729 Lazarus, J., 691 Lee, C.-C., 1022 Lee, C.C., 289, 513, 961, 1178 Lee, C.-H., 257, 530, 1017, 1021 Lee, C.H., 1021 Lee, C.P., 1019 Lee, D., 899 Lee, H.-C., 1175 Lee, K.H., 961 Lee, L., 530 Lee, M.-R., 634 Lee, W.S., 333 Lee, Y.-C., 802

Lee, Y.H., 961

Lee, Y.-K., 753 Lehrman, C., 641 Lepak-Hitch, C.A., 514 Lesiak, M., 1181 Leung, M.K., 1013 Lev. A., 1018 Levin, S.K., 582 Levine, B., 119 Levsky, M.E., 160 Lewin, M.R., 107 Lewis, B.S., 889 Lheureux, P., 755 Li, C., 701 Li, C.-S., 823, 903 Li. E.J., 249 Li, Y., 797 Liang, S.-J., 256 Liao, C.-H., 133 Liao, M.M., 515 Liao, W.-I., 627, 1025 Lim, S.H., 16 Lim, T.H., 1178 Limon, O., 750 Lin. B.-F., 127 Lin, B.W., 1064 Lin, C.-C., 1034 Lin, C.-P., 634 Lin, G.-M., 894 Lin, H.-J., 258 Lin, J.-C., 385 Lin, J.-T., 802 Lin, K.-K., 530 Lin, K.Y., 227 Lin, L.-W., 632 Lin, L.-Y., 802 Lin, S.-H., 511, 752, 1180 Lin, Y.-F., 251, 516 Lin, Y.-T., 629 Lin, Y.-Y., 627, 1022, 1025 Lin, Z.-Z., 370 Lindorfer, A., 176 Lindsell, C., 141 Lindsell, C.J., 397, 816 Liou, J.-M., 802 Lips, P., 23 Liu, C.-C., 895 Liu, C.-L., 127 Liu, E.H., 385 Liu, H., 751 Liu, J.-C., 256 Liu, K.-T., 370 Liu, Z.-X., 823 Lo, B.M., 621, 631 Lo, C.-P., 757 Lombardini, C., 1182 Long, W.B., III, 227, 997 Long, W.-Z., 516 Longley, M.B., 588 López, B., 660 Lord. B., 525 Lord, W.R., 49 LoVecchio, F., 68, 115, 119, 123, 993 Lu, C.-H., 1176

Lu, J.-Y., 935

Lubin, J.S., 1180

Lucchesi, M., 563

Luitse, J.S., 271 Lundy, J.-E., 303 Machan, J., 1085 Mackenzie, R.S., 1150 Maeda, A., 371 Maggiorini, M., 630, 1183 Magid, D.J., 916 Maino, C., 986 Maio, R.F., 182 Maison, P., 675 Maixner, W., 182 Makarovsky, I., 1123 Makise, H., 470 Malka, V., 372 Malozzi, C.M., 750 Mandrekas, K., 377 Manfredini, F., 244, 1096 Manfredini, R., 244, 1096 Manini, A., 366 Manini, A.F., 43 Manning, S., 1027 Manoukian, S.V., 720 Marco, C.A., 691 Margenet, A., 1060 Mari, E., 1096 Mariani, M., 986 Marino, P., 683, 712 Marioneaux, D.M., 1027 Mark, D.G., 878 Mark, L., 96 Marraffa, J.M., 122 Marti, V., 1174 Marty, J., 1060 Mascola, L., 55 Maselli, J.H., 582 Mason, C., 1131 Mason, P., 436 Matheos, E., 1183 Matsubara, H., 1173 Matsumuro, A., 1173 Mattu, A., 481, 492 Matz, W., 864 Matzi, V., 1024 Maury, E., 132 Maynard, S.J., 779 Mayo, M., 709 Mazzei, A., 1164 McClain, S.A., 285 McCusker, C.M., 37, 916 McKay, M.P., 369 McKenzie, D.A., 691 McLaughlin, T., 514, 563 McLean, S.A., 182 McNeill, G., 243, 624 McOsker, J., 1131 Meehan, T.J., 901 Meissner, W., 558 Menown, I.B., 779 Mentes, O., 409, 765 Mentese, A., 635 Merchant, R.C., 868 Merhege, M., 641 Mericé, E.S., 424 Merlani, P., 1182 Merlin, M.A., 1089 Metlay, J.P., 544, 582

Michaels, A.D., 397 Michiels, V., 1182 Mijin, L., 956 Miller, A., 119 Miller, L.G., 893 Miller, M.A., 160, 875 Milling, T., 377 Mills, A.M., 552 Mills, L., 119 Milzman, D., 770 Milzman, D.P., 1085 Minelli, C., 986 Miner, J.R., 413 Minisola, G., 756 Minville, V., 1020 Mion, G., 247 Miró, Ö., 362 Miró, O., 660 Mitarai, T., 1000 Miura, S., 371 Mohamad, T., 374 Mok, K.L., 503 Molina, E.G., 751 Monck, L., 691 Monribot, M., 1060 Montano, N., 1103 Moolenaar, R.L., 1 Moomaw, C.J., 141 Moorhead I 691 Mor, M.K., 544 Moreno, S., 634 Mori, M., 176 Mortell, S., 980 Moscati, R.M., 413 Moss, R.D., 250 Motomura, M., 754 Moyano-Villaseca, B., 668 Mude, H., 237 Mukku, K.K., 256 Mularek-Kubzdela, T., 1181 Müller, V., 1183 Mulrow, M., 68, 119 Muñoz-González, J., 668 Muñoz-Mahamud, E., 373 Mycyk, M.B., 856 Nable, J.V., 734 Nagamine, Y., 902 Nager, A.L., 942 Nagurney, J.T., 43, 366

Naidu, K.S., 901 Nakai, K., 371 Nakamura, T., 153, 1173 Naples, R., 63 Napoli, A., 770 Napoli, A.M., 1085 Nauss, M.D., 372 Nelsen, J., 122 Nelson, L.S., 475 Nessi, I., 986 Newman, D., 1131 Ngako, A., 675 Ngo, A.S.-Y., 8 Ngo, L., 328 Nichols, J., 366 Nichols, J.H., 43 Nicolau, D.P., 968

Nikus, K.C., 1020 Nishizawa, S., 1173 Norquist, C., 115, 119 Norsa, A.H., 1103 Ntalianis, A., 377 Nwosu, H., 371

O'Connor, R.E., 337 Offenstadt, G., 132 Oh, J.H., 961 Oh. J.J., 8 Oh, J.S., 859 Oh, Y.M., 859 Ohde, S., 153 Ohta, T., 240 Okamoto, H., 470 Okudera, H., 240 Olasinska-Wisniewska, A., 1181 Olde Nordkamp, L.R., 271 Oman, J.A., 785 Omar, B., 750 on behalf of the Combined Amsterdam and Rotterdam Evaluation of FALLs (CAREFALL) study group, 23 on behalf of the Rule-Out Myocardial Infarction using Coronary Artery Tomography (ROMICAT) Study Investigators, 43 Onal, I.K., 631 O'Neil, B.J., 816 Ong, M.E.H., 8, 16, 363 Ongoru, O., 409 Oray, N.C., 750 Oreopolous, G., 374 Orgogozo, J.M., 558 Omato, J.P., 146, 779 Ortega, M., 660 Ortiz, M., 1150 Overton, J., 16 Owens, W.B., 134 Ozer, T., 765 Ozimek, J., 933 Ozkurt, H., 757 Oztas, E., 631

Packy, T., 847 Pallin, D., 980 Pan, L., 751 Panacek, E., 119 Pancioli, A., 141 Pancioli, A.M., 372 Panigrahi, A.K., 256 Papadimitriou, L., 651 Papaetis, G.S., 755 Papamichael, C., 377 Park, K.N., 859 Parlamento, S., 379 Parry, B.A., 1076 Patan, T., 635 Patel. B.M., 851 Patel, S., 1076 Pathak, S., 313 Patrick, V.C., 691 Peberdy, M.A., 779 Pefanis, A., 755

Peng, T.-I., 517 Pensa, C., 376 Perera, N., 68 Pernet, P., 132 Perrea, D., 651 Petrela, E.Y., 1090 Phelan, M.P., 1173 Pierog, J.E., 1174 Pinar, E., 1024 Pines, J.M., 552, 878 Pitani, R.S., 116 Platz, E., 363 Pliakas, J., 980 Pohl, A., 68 Pollack, C.V., Jr, 348, 595, 720 Porta, I.P., 1164 Porthan, K., 948 Pourmand,, A., 369

Quas, J., 1131 Quan, D., 759 Quercia, J.H., 131 Quinn, J., 1064 Quinn, J.V., 851 Quinn, S.M., 621

Pourriat, J.-L., 254

Prat, S., 466

Prause, G., 133

Prestosh, J., 237

Priola, A.M., 633

Priola, S.M., 633

Pryor, P.W., II, 1089

Proctor, J., 691

Purnell, R., 373

Rabbani, M.U., 752 Radeos, M.S., 191 Raffel, B., 1089 Ramírez, P., 1174 Rankin, P.M., 454 Reardon, J.M., 930 Rechavi, G., 761 Rechavi, M., 761 Redondo, B., 1024 Regan, L.A., 475 Reisinger, J., 176 Reitsma, J.B., 271 Renaud, B., 675 Rennert, G., 889 Resnick, J., 363 Resta, F., 1103 Richardson, K., 1181 Richardson, L.D., 333 Riddell, J.W., 779 Riffenburgh, R.H., 930 Rigaud, A.-S., 303 Rihani, T., 641 Ritter, S.E., 1171 Riviello, R., 119 Roarty, J., 436 Roberts, B.D., 146 Roberts, C.S., 146 Robinson, M.J., 751 Roche-Nagle, G., 254, 374 Rock, W., 1018, 1025

Rodeheaver, G.T., 227

Rodriguez, E., 119 Rogovik, A.L., 797 Rokas, G., 651 Romanov, A., 285 Ronan, D., 266 Rooney, J., 285 Rosenau, A.M., 1150 Rosin, A., 160 Rosman, Y., 1123 Ross, B.E., 280 Rossman, L., 922 Roth, R., 1136 Rothman, R.B., 1010 Rouanet, F., 558 Roupie, E., 675 Rowden, A.K., 756 Rowe, B.H., 191, 391, 1039 Royuela, A., 76 Ruano, M., 1174 Rubin, B.B., 254 Rubino, R., 1164 Rudiger, A., 630, 1183 Rudinsky, S.L., 930 Rudkin, S.E., 785 Ruha, A.-M., 759 Rusconi, A.M., 1103 Russ, S., 428 Russo, M., 376 Ryan, D., 1179

Sahin, M., 902 Sakamoto, T., 240, 308 Salameh, S., 262 Salemis, N.S., 129, 1023 Saliba, W.R., 1018, 1025 Salinas, G., 1174 Salloum, M., 675 Salmi, R., 244, 1096 Salzman, M., 1179 Sam, K.G., 628 San Román, I., 634 Sanchez, M., 1069 Sánchez, M., 660 Santin, A., 675 Santre, C., 570 Sari, I., 169 Sarikaya, S., 130 Sato. H., 308 Saucedo, J.F., 720 Saul, T., 250 Savary, D., 570 Sawada, T., 1173 Sawyers, B., 933 Scalea, T., 983 Scarabelli, T.M., 898 Schauer, D.P., 293 Scheffer, A.C., 23 Schertz, R.A., 843 Scheuermeyer, F., 629 Schierling, M., 428 Schmid, C., 630 Schmidt, E.L., 372 Schmitz, G.R., 691 Schneider, S.M., 691 Schrading, W.A., 864 Schumann, H.M., 901

Schwarz, E.S., 515

Sease, K.L., 37 Sebastian, J.C., 216 Seibert, F.J., 133 Selbst, S.M., 942 Sen, A., 182 Senay, E., 627 Seppänen, J., 1020 Sethuraman, U., 514 Seven, B., 132 Sezer, A.A., 838 Shapira, R., 889 Sharma, R., 625 Shasha, W., 197 Shear, M., 980 Shear, M.L., 1076 Shen, W.-K., 271 Shesser, R., 449 Shetty, A.K., 633 Shiang, J.-C., 1180 Shiber, J.R., 588 Shiozaki, H., 754 Shofer, F.S., 37, 552, 916 Shokoohi, H., 369, 449 Shrot, S., 1123 Shun, H.-C., 1177 Siadat, M., 514 Siani, A., 1164 Sibon, I., 558 Sidebottom, M., 337 Silka, P.A., 280 Siman-Tov, Y., 761 Simon, L.V., 930 Singer, A.J., 285, 289, 513, 729, 847, 961, 1178 Singh, S.B., 536 Sioris, T., 1020 Siostrzonek, P., 176 Skipworth, J.R., 255 Skorupski, W., 1181 Skrifvars, M.B., 440 Slattery, D., 348 Smit, J.M., 630 Smith, I., 372 Smith, J.P., 449 Smith, M.D., 253, 900 Smolle-Jüttner, F.-M., 1024 Smulowitz, P.B., 328 Snow, A., 243, 624 Sojka, B., 337 Solomon, H., 220 Solomon, S., 755 Soltani, P., 750 Song, F.-Q., 935 Song, Q., 751 Song, Y.-G., 903 Soni, S., 375 Sonoo, M., 754 Sonson, J.M., 250 Sood, R., 625 Soremekun, O.A., 1076 Soufras, G.D., 506

Soyuncu, S., 129, 905

Spampinatto, R., 376

Spyridakis, M., 1183

Spiller, H., 911

Spini, S., 758

Seak, C.-J., 131

Stalnikowicz, R., 262 Stapczynski, S.J., 119 Starr, P., 911 Steiner, C., 176 Sterz, F., 460 Stieb, D.M., 391 Stoltzfus, J., 237 Stone, M.B., 376, 516 Stork, C.M., 122 Storrow, A.B., 293 Stranieri, G., 1164 Stratton, J., 628 Strehlow, M., 1064 Strote, J., 709, 747, 1136 Stull, B.W., 901 Su, C.-S., 370 Su, F.-C., 1106 Su, Y.-C., 753 Su, Y.-J., 249 Subrahmanyam, D., 256 Suleyman, T., 240 Sun, H.-D., 133 Suner, S., 750 Sungeun, K., 956 Suserud, B.-O., 202 Svendsen, E., 1 Sweeney, T.W., 134 Szyszkowicz, M., 165, 391 Tabas, J.A., 916

Taira, B.R., 285, 289, 729, 847 Tak, W.Y., 1013 Takahashi, C., 240 Takeda, K., 371 Talbot, S., 901 Tameze, J.K., 755 Tamir, A., 889 Tan, C.-K., 368 Tan, H.H., 607 Tan, T.P., 16 Tanen, D.A., 930 Tan-Schriner, C.U., 182 Tarakcioglu, M., 169 Tasi, Y.-M., 895 Tatum, J.L., 146 Taylor, J.S., 373 Tekinbas, C., 635 Tekwani, K.L., 776 Terashita, D., 55 Thacker, J.G., 227 The IMPAACT Project Investigators, 582 Thode, H.C., Jr. 289 Thole, D., 933 Thomas, S., 980 Thomas, S.H., 1076 Thunga, G., 628 Tian, X.-F., 935 Timsit, J.-F., 570 Tiu, C.-M., 320, 574 Tokuda, Y., 153, 902 Toledano, M., 761 Topbaş, M., 424, 635 Torka, P., 625 Torreggiani, W.C., 243, 624 Townes, D., 709

Tsai, C.-L., 1039 Tsai, J.-J., 759 Tsai, M.-J., 574 Tsai, S.-H., 627, 1022, 1025 Tsai, W.-C., 251, 253 Tsao, T.-P., 1175 Tsao, Y.-T., 251, 253, 629 Tseng, C.-L., 134, 1017 Tseng, P.-H., 802 Tsou, J.-Y., 1106 Tu, C.-M., 903, 1175 Tu, C.-Y., 256 Tufan, T., 409, 765 Türedi, S., 424 Turedi, S., 635 Turkmen, S., 635 Turkyılmaz, S., 132 Turock, M.K., 237

Ucar, U., 635 Uegaki, S., 470 Ulus, T., 251 Uray, T., 460 Uspal, N.G., 117 Uyanik, A., 626 Uzkeser, M., 132, 508, 626 Uzun, H., 424

Valdés, M., 634, 1024 Valdez, M., 641 van Breda, G.F., 23 van der Cammen, T.J., 23 van Diik, N., 23, 271 van Heurn, L., 1017 van Hooren, L., 1017 Van Order, P., 922 Van Sickle, D., 1 Varadarajan, S., 116 Varney, S.M., 259 Varon, J., 113, 707 Vaubourdolle, M., 132 Väyrynen, T., 948 Vela-Zárate, P., 707 Verma, M., 628 Verma, S., 368 Vettorello, M., 986 Vicente, A., 76 Vincentelli, C., 751

Vitrat, F., 570 Volfson, D., 257 Volpicelli, G., 128, 633, 1159 Vorburger, S.A., 246 Vrints, C., 1182 Vural, K., 838

Wack, C.A., 997 Wagner, O.J., 246, 511 Wahab, A., 752 Wahab, S., 752 Waldman, S., 376 Wallace, D.J., 419 Walsh, R.C., 901 Wandaller, A., 460 Wandaller, C., 460 Wang, A.-C., 757 Wang, C.-C., 1021, 1180 Wang, F.-L., 1175 Wang, H., 107, 212 Wang, H.E., 1136 Wang, H.-P., 802 Wang, L.-P., 935 Wang, S.-H., 900 Wang, S.-Q., 903 Wang, T.-L., 632, 753 Wang, W.-b., 903 Wang, W.W.-J., 1034 Wang, Y.-C., 792 Ward, R., 754 Watts, D.J., 237 Watts, H.F., 776 Weaver, K.R., 1150 Wedel, S.K., 49 Weiss, S., 266, 830 Weiss, S.J., 641 Weizer-Stern, O., 761 Wells, R.D., 436 Wenck, M.A., 1 Weng, C.-S., 130 Weng, H.-F., 127 Weng, T.-I., 1016 Weng, W.-C., 517 Weng, Y.-M., 130, 369

Werner, S., 363

White, H., 785

Wieling, W., 271

Williams, K.A., Jr, 517 Williamson, A., 337 Wilson, B., 368 Wind, J., 1017 Windham, A.F., 1027 Windsor, A.C., 255 Winstanley, A., 255 Winter, A., 176 Winter, T., 176 Winters, M.E., 1000 Winther, M., 313 Wira, C.R., 1021 Wong, S.L., 633 Wong, Y.T., 503 Wood, J.P., 851 Woosley, J.T., 753 Wouters, N.T., 899 Wrenn, K., 428, 519 Wu, C.-C., 1180 Wu, C.-I., 257 Wn. C.-J., 823 Wu, C.-L., 517 Wu, J.-Y., 823 Wu, M.-S., 802 Wu, S.-C., 792 Wu, Y.-C., 629 Wynn, B.N., 922

Xanthos, T., 651 Xavier, V., 628 Xie, L., 935 Xu, T., 107, 212 Xu, X., 729

Yamamoto, L.G., 810

Yaman, H., 409 Yan, M.-T., 752 Yanagawa, Y., 249, 308, 754, 1163 Yang, C.-J., 895 Yang, C.-S., 629 Yang, D.-K., 133 Yang, M.-L., 530

Yanturali, S., 750 Yan-Zhen Liu, A., 802 Yardan, T., 838

Yang, S.-P., 903

Yang, S.-S., 752

Yeh, C.-C., 792 Yeh, H.-F., 131, 252 Yeh, S.-M., 895 Yekuo, L., 197 Yen, D.H.-T., 320, 975 Yen, H.-H., 1010 Yiadom, M.Y., 536 Yialamas, M.A., 1076 Yigit, O., 129 Yigit, T., 409 Yıldırım, C., 1022 Yildirim, C., 169 Yilmaz, F., 757 Yilmaz, F.M., 838 Yilmaz, G., 838 Yin, L.H., 1013 Yoonhee, C., 956 Yoshida, D., 1064 Yoshida, T., 626 Young, J., 119 Young, L.L., 810 Young, M.R., 115 Young, S.E., 875 Yousef, Z.R., 373 Yu, J.-H., 369 Yu, W.-L., 368 Yue, H., 751 Yuen, C.K., 503 Yulug, E., 635 Yung-Fa, L., 1019 Yürüktümen, A., 1049 Yuzbasioglu, Y., 838

Zad, O., 377
Zamora, J., 76
Zauteke, J.L., 901
Zeger, W., 119
Zehtabchi, S., 563
Zhang, G.-C., 823
Zhang, X.-W., 935
Zhou, C., 428
Zhou, F., 751
Zimmerman, T., 285
Zimmermann, H., 246
Zlidenny, A., 770
Zuber, M., 397
Zura, R.B., 227
Zwank, M., 513



The American Journal of **Emergency Medicine**

www.elsevier.com/locate/ajem

INDEX TO VOLUME 27

Keywords

Abdominal compartment syndrome, critical care literature 2008, 1000-1009

association between physician risk-taking behavior and imaging use in ED, 552-557 and fever, following drainage of peritonsillar abscess, 515.e3-515.e5 recurrent episodes of, in SCLS, 755.e5-755.e7

undifferentiated, DRE in the evaluation of, 1125-1129

Abdominal trauma, blunt, acute portal venous thrombosis after, 372.e1-372.e3 Abscess

cutaneous

national epidemiology of ED visits for, 289-292

Staphylococcus aureus-containing, of patients with HIV, antibiotic resistance in, 344-347

epidural, cervical and spinal, cluster-like headache as an opening symptom of, 370.e5-370.e6

holospinal epidural, positive for methicillin-resistant Staphylococcus aureus, 514.e7-514.e9

peritonsillar, Lemierre syndrome following drainage of, 515.e3-515.e5 splenic, and infarction, complicating infective endocarditis, 1021.e3-1021.e5

Accidental fall, and flaccid leg, acute aortic dissection presenting as, 127.e1-127.e2 Accidental ingestion, of amphetamine and methylphenidate in children, outcomes after, 933-934

Acidosis, effect of prolonged exposure of TASER CEWs on markers of, in exhausted humans, 413-418

(letter), 747-749

Acupuncture, efficacy and feasibility in ED patients with acute, nonpenetrating musculoskeletal injury of the extremities, 280-284

Acute abdomen, pulmonary embolism presenting as, a child and adult, 514.e1-514.e5 Acute angle-closure glaucoma, bilateral, after bronchodilator therapy, 257.e5-257.e6 Acute chest syndrome, diagnosed by lung sonography, 516.e5-516.e6

Acute colonic pseudo-obstruction (ACPO), radiologic diagnosis and medical treatment with neostigmine, 757.e1-757.e4

Acute coronary syndrome (ACS)

an unusual presentation of bilateral coronary dissection after car accident,

body surface mapping versus 12-lead ECG for evaluation of, using emergency physician real-time interpretation, 816-822

cardiac literature 2008, 481-491

considerations of hospital availability of PCI for treatment of, 595-606 non-ST-segment elevation, expert consensus on treatment strategies in patients

undergoing PC1, 720-728 prediction of myocardial infarction risk in older patients with, 675-682

RBBB in, diagnostic and therapeutic implications for the emergency physician, trastuzumab-associated cardiomyopathy presenting as new onset of complete

LBBB mimicking, 903.e1-903.e3 Acute inflammatory demyelinating polyneuropathy (AIDP), as initial presentation of SLE, 900.e3-900.e5

Acute myocardial infarction. see Myocardial infarction, acute

Adenoma, pituitary, with apoplexy, initial presentation mimicking bacterial meningoencephalitis, 517.e1-517.e4

Adenomyosis, false-positive urine pregnancy test in a woman with, 1019.e5-1019.e7 Adenosine, cardiopulmonary arrest induced by, in a patient PSVT, 901.e1-901.e2

Adolescents, first-order alcohol elimination in alcohol intoxication in, 128.e5-128.e6 Adrenal insufficiency, critical care literature 2008, 1000-1009

pulmonary embolism presenting as acute abdomen, 514.e1-514.e5 role of DRE in suspected appendicitis in (erratum), 511

Adverse drug effects

associated with ketamine for procedural sedation in adults (erratum), 512 to rifampin-containing regimen, for treatment of CAMRSA skin infection (letter),

Air pollution relation to ED visits

for chest pain, 165-168

for migraine and headache in Edmonton, Canada, 391-396

and weather conditions, relation to ED visits for asthma, in Japan, 153-159

Airway compression, upper, due to aortic aneurysm, metallic stents for, 256.e1-256.e4

Airway management, difficult, in severe angioedema in myxedema coma, 1021.e1-1021.e2

Akathisia, acute, incidence of, in relation to infusion rate of metoclopramide, 475-480 Albumin, ischemia-modified

in diagnosis of acute mesenteric ischemia (letter), 239-240 in the diagnosis of pulmonary embolism, 635-640

Alcohol consumption

excessive, relation with aortic dissection (letter), 1163-1165

relationship with severity of injury in ED trauma patients, 956-960

Alcohol intoxication, first-order alcohol elimination in an adolescent, 128.e5-128.e6 Allergy. see Anaphylaxis

Alpha-blockade (α-blockade), use by emergency physicians for the treatment of ureteral stones, 776-778

Altitude, physiologic affects of, on recreational climbers, 1081-1084

Aluminium phosphide poisoning, spontaneous self-ignition in, 752.e5-752.e6

Amantadine intoxication, obstructive acute renal failure related to, 371.e5-371.e7

call, effect of change from paper records to electronic patient records on duration of,

use in densely and sparsely populated areas, 202-211

Amphetamine, and methylphenidate, accidental pediatric ingestions of, outcomes after, 933-934

Analgesia, in trauma patients in critical care transport, factors associated with, 49-54 Anaphylaxis

to normal saline solution, 130.e1-130.e2

wasp sting, coagulation abnormalities induced by, 1176.e1-1176.e3

Anesthesia, veterinary, containing tiletamine, movement disorder caused by abuse of, 1022.e5-1022.e6

Aneurysm, of splenic artery, rupture of, during early pregnancy, 898.e5-898.e6 Angioedema, severe, in myxedema coma, difficult airway in, 1021.e1-1021.e2 Angioembolization, for pelvic fracture instability, 792-796

facilitated with combined thrombolytic therapy and glycoprotein IIb-IIIa inhibitors, in patients with STEMI, 683-690

primary, versus fibrinolysis, in STEMI, PCI-related time delay, patient's risk profile and survival benefits of, 712-719

Ankaferd Blood Stopper (ABS), profuse bleeding leading to hemodynamic instability controlled by tandem oral, rectal, and nasal administrations of, 631.e1-631.e2

Anthropometric measurement, accuracy in estimation of adult patients' weight, 1060-1064

Antibiotics

β-lactam versus CAMRSA, for treatment of cellulitis in pre- and post-CAMRSA eras, 436-439

prescription of, for presumed nonbacterial acute respiratory tract infections, 544–551 resistance to, in *Staphylococcus aureus*-containing cutaneous abscesses of patients with HIV, 344–347

usefulness of semiquantitative procalcitonin test kit as a guideline for treatment with, 859-863

Antidepressant, tricyclic, intoxication, treated with massive sodium bicarbonate, 1168.e3-1168.e7

Anti-muscle-specific tyrosine kinase (MuSK)-antibody, myasthenia gravis positive for, 754.e5-754.e6

Antiplatelet therapy, timing administration of, 348-361

Antipsychotic medications, atypical, cardiovascular effects after overdose of, 607–616
Antithrombin III deficiency, simultaneous thromboses of double coronary arteries, in a
young male with, 1169.e3–1169.e6

Antivenom therapy, low-dose, efficacy on morbidity and mortality in snakebite (letter), 247-248

Aortic aneurysm, metallic stents for severe upper airway compression due to, 256.e1-256.e4

Aortic dissection

acute

acute myocardial infarction with cardiogenic shock in a patient with, 899.e3–899.e6 presenting as an accidental fall and flaccid left leg, 127.e1–127.e2 diagnosis in young patient (letter), 236–237

relation between excessive alcohol consumption and (letter), 1163-1165

Aortitis, caused by methicillin-resistant Staphylococcus aureus, in a cardiac transplant patient, 1174.e5–1174.e6

Aortoduodenal fistula, spontaneous or primary, presenting with upper gastrointestinal bleeding in the ED, 1169.e1–1169.e2

Aortoenteric fistula, secondary, endovascular treatment of gastrointestinal bleeding caused by, 374.e3–374.e5

Aortotracheal fistula, hoarseness as first manifestation of, 1019.e1-1019.e3 Appendicitis

acute

an unusual presentation of *Streptococcus pyogenes* infection, 254.e1–254.e2 D-dimer serum level as diagnostic parameter for, 765–769

presenting with Klebsiella pneumoniae septicemia due to bacterial translocation, 1023.e3–1023.e4

role of urinary 5-HIAA in the early diagnosis of, 409-412

ruptured, and peritonitis, with pseudomyocardial infarction, 627.e5-627.e8

association of female gender with ED delays to diagnosis in the CT era, 856-858 suspected, in adults, role of DRE in (erratum), 511

traumatic, eFAST in diagnosis of, 632.e5-632.e7

Arrhythmia, lethal, and corticosteroid insufficiency, 1167.e1-1167.e3

Arterial blood gas, construction of a Web-based interpreter of (letter), 1161-1163 Arteriovenous malformation, multiple pulmonary, presenting as an acute MI,

1020.e5-1020.e7

Arteritis

giant cell temporal, ESR for the diagnosis of, in ED, 255.e1-255.e3 Arthritis

septic, of the hip caused by nontyphi Salmonella after urinary tract infection, 373.e5-373.e8

Ascites, and periportal edema, CT signs of traumatic cardiac tamponade, 127.e3-127.e4

Asphyxia, cardiac arrest, dose-response of vasopressin in a rat model of, 935-941 Aspirin. see Salicylate

Asplenia, congenital, fatal pneumococcal Waterhouse-Friderichsen syndrome in a vaccinated adult with, 751.e3–751.e5

Asthma

acute, in children, misconceptions regarding levalbuterol in the treatment of (letter),

in Japan, relationship of air pollution and weather conditions to ED visits for, 153-159

Asystole, after TASER injury, hypothermia protocol for resuscitation of a patient in, 515.e1-515.e2

Ataxia, associated with spurious hyperchloremia, 752.e1-752.e3

Atenolol, in combination with epinephrine and levosimendan, in treatment of experimental cardiac arrest, 651–659 Atropine, and pralidoxime, effects on cardiac damage in acute organophosphate poisoning in rats, 169-175

Bacterial translocation

acute appendicitis presenting with Klebsiella pneumoniae septicemia due to, 1023.e3-1023.e4

in heat stroke, 1168.e1-1168.e2

Basedow's paraplegia, and pancytopenia, as rare presentations of hyperthyroidism, 258.e1-258.e2

Beta-blockers (β-blockers), treatment of acquired left ventricular outflow tract obstruction and cardiogenic shock, 373.e1–373.e3

Black widow spider, envenomation, priapism associated with, 759.e1-759.e2 Bleeding

profuse, leading to hemodynamic instability, controlled by tandem oral, rectal, and nasal administrations of ABS, 631.e1-631.e2

systemic, in a patient with enoxaparin-induced thrombocytopenia, 756.e1-756.e2 upper gastrointestinal, spontaneous or primary aortoduodenal fistula presenting with, in the ED, 1169.e1-1169.e2

uterine, chronic, severe lactic acidosis as a result of iron deficiency anemia due to, 377.e7–377.e9

Blood loss

ED patient estimation of, 709-711

external, estimation using the MAR method, 1085-1090

Blood pressure control, relation with symptomatic improvement of oculomotor palsy due to primitive trigeminal artery, 634.e5-634.e7

Bochdalek diaphragmatic hernia, masquerading as pneumonia, causing non-traumatic hemothorax, 252.e1-252.e2

Body habitus, in addition to length, for estimation of children's weight, 810-815 Body surface mapping

versus 12-lead ECG

to detect STEMI, 779-784

for evaluation of ACS symptoms using emergency physician real-time interpretation, 816-822

Bone pain, as an atypical early manifestation of acute myocardial infarction (letter), 894-895

Brain death, caused by valproic acid intoxication, 1177.e5-1177.e6

Brain natriuretic peptide (BNP)

prognostic significance

in ED patients with SIRS or sepsis, 701-706

in sepsis (editorial), 707-708

Bronchodilator therapy, bilateral acute angle-closure glaucoma after, 257.e5–257.e6 Brugada syndrome

associated with heat stroke, ECG in diagnosis of, 634.e1-634.e3

caused by flecainide overdose, in a previously well patient, ECG pattern of, 375.e1-375.e3

(letter), 1013-1015

Bupropion, extended-release, incidence and onset of delayed seizures after overdose, 911–915

Burn

porcine comb model, validation of, 285-288

severe, isotonic versus hypertonic fluids during resuscitation, 1091-1096

Caffeine overdose, cardiovascular collapse from, lidocaine, phenylephrine, and hemodialysis for treatment of, 253.e3–253.e6

Capnography, monitoring in nonintubated patients with respiratory distress, 1056–1059 Carbamate poisoning, management in a mass casualties event, 1117–1124

Carbon monoxide poisoning

cerebellar white matter damage due to, 757.e5-757.e7

elevated serum \$100B protein and neuron-specific enolase levels in, \$38-842 interleukin 6 in cerebrospinal fluid as predictive marker of delayed encephalopathy at early phase of, \$92-996

Cardiac arrest

asphyxial, dose-response of vasopressin in a rat model of, 935–941 cardiac literature 2008, 481–491

clinical quality versus standard manual chest compressions in a porcine model of, 823–829

cranial CT in the resuscitated patient with, 63-67

experimental, combination pharmacotherapy in treatment of, 651-659

head and neck cooling after, comparison of jugular bulb temperature and esophageal temperature during, 460-465

influence of early administration of selenium on neurological outcome after, 176–181

out-of-hospital

immediate prehospital hypothermia protocol in comatose survivors of, 570-573

witnessed by emergency medical service, influence of prearrest shock and respiratory insufficiency on outcome of, 440-448

in setting of diet pill consumption (letter), 1010-1013

Cardiac damage, in acute organophosphate poisoning in rats, effects of atropine and pralidoxime on, 169-175

Cardiac defibrillation, influence of CPR time prior to, on outcome of out-of-hospital VF patients, 470-474

Cardiac memory phenomenon, T-wave inversion attributed to, 898.e1-898.e4

Cardiac pacing, temporary, left ventricular, a viable option in emergency situation, 374.e1-374.e2

Cardiac tamponade

critical, prehospital mechanical ventilation of a, 1020.e1-1020.e3 traumatic, CT signs of, 127.e3-127.e4

Cardiac transplantation, methicillin-resistant Staphylococcus aureus aortitis following, 1174 e5-1174 e6

Cardiac troponin I. see Troponin I, cardiac

Cardiogenic pulmonary edema, acute, with preserved or impaired left ventricular systolic function, effect of CPAP in, 986–991

Cardiogenic shock

and acquired left ventricular outflow tract obstruction treated with β-blockers, 373.e1-373.e3

acute myocardial infarction with, in a patient with acute aortic dissection, 899.e3-899.e6

caused by simultaneous occlusion of 2 coronary arteries, 1175.e5-1175.e7 Cardiomyopathy

associated with trastuzumab, presenting as new onset of complete LBBB mimicking ACS, 903.e1-903.e3

dilated, clinical profiles of pediatric patients before diagnosis, 942-947 Cardiopulmonary arrest

adenosine-induced, in a patient with PSVT, 901.e1-901.e2

out-of-hospital, investigate the laboratory findings in predicting the outcome of, 308–312 Cardiopulmonary resuscitation (CPR). see also Resuscitation

mechanical device, ruptured liver and spleen after use of, 1017.e1–1017.e2 over-the-head versus standard, chest compression kinematics associated with, 1112–1116

time before first defibrillation, influence on outcome of out-of-hospital VF patients, 470-474

Cardiovascular collapse, from caffeine overdose, lidocaine, phenylephrine, and hemodialysis for treatment of, 253.e3–253.e6

Cardiovascular effects, after atypical antipsychotic medication overdose, 607-616 CAREFALL Triage Instrument (CTI), for identifying risk factors for recurrent falls in elderly patients, 23-36

Carotid artery dissection, spontaneous bilateral, presenting with isolated headache, 754.e1–754.e3

Carpal-metacarpal joints, of the index, middle and ring finger, dislocation of, 630.e1-630.e2

Cellulitis, comparison of initial antibiotic choice in pre- and post-CAMRSA eras, 436-439

Central Line Emergency Access Registry (CLEAR), project protocol methods paper (letter), 119-122

Central nervous system depression, severe, in a patient with acute imidacloprid poisoning, 1171.e5–1171.e7

Central venous pressure, correlation of bedside ultrasonography of internal jugular vein with, 851-855

Cerebellar white matter damage, due to carbon monoxide poisoning, 757.e5–757.e7 Cerebral venous thrombosis

presenting with subarachnoid hemorrhage, CT for diagnosis of, 96–106 unusual association between Guillain-Barre syndrome and, 758.e3–758.e4 Cerebrospinal fluid (CSF)

analysis, value in stat laboratory, 758.e1–758.e2

interleukin 6 in, as predictive marker of delayed encephalopathy at the early phase of carbon monoxide poisoning, 992–996

Cerebrovascular disease, acute, Solanum erianthum intoxication mimicking, 249.e1–249.e2

Cervical abscess, epidural, cluster-like headache as an opening symptom of, 370.e5–370.e6

Cervical spine, epidural hematoma of, after chiropractic spinal manipulation, 1023.e1-1023.e2

Chest compressions, clinical quality *versus* standard manual, in a porcine model of cardiac arrest, 823-829

Chest injury, pulmonary edema induced by, in an infant (letter), 1160 Chest pain

acute, limitations of TIMI risk score models in patients with, 43-48 (letter), 365-367

combination of TIMI risk score and clear-cut alternative diagnosis for risk stratification of patients with, 37-42

ED visits for, relation to air pollution, 165-168

exercise stress test for management of low-risk patients with, 889-892

Chest pain unit (CPU)

and ED, prevalence of syncope in, 271-279

frequent users of, predictors and outcomes of, 660-667

Chest radiography, versus thoracic impedance, to diagnose acute pulmonary edema in the ED, 770–775

Children, see Pediatrics

Chiropractic spinal manipulation, cervical epidural hematoma after, 1023.e1-1023.e2

Chlorine gas

inhalation, acute, MI, acute ischemic stroke, and hyperglycemia triggered by, 1022.e1-1022.e4

after a train derailment, acute health effects after exposure to, 1-7

Cholecystitis, acute, segmented neutrophil and CT for diagnosis of gallbladder perforation in, 574-581

Cholinesterase, serial serum activities, prognostic value in organophosphate poisoning, 1034–1039

Chorea, acute, as a presentation of Graves disease, 369.e1-369.e3

Chronic obstructive pulmonary disease (COPD)

ED visit volume and quality of care in acute exacerbations of, 1040-1049 self-reported, validation among patients in the ED, 191-196

Climbers, recreational, physiologic affects of altitude on, 1081–1084 Coagulation disorder, induced by a wasp sting anaphylaxis, 1176.e1–1176.e3

Cold hemofiltration, fatal exertional heat stroke successfully treated with,

751.e1–751.e2

Colonic necrosis, due to sodium polystyrene sulfate, 753.e1-753.e2 Coma

immediate prehospital hypothermia protocol in survivors of out-of-hospital cardiac arrest, 570-573

myxedema, severe angioedema in, difficult airway in, 1021.e1-1021.e2

Community-acquired methicillin-resistant Staphylococcus aureus (CAMRSA) adverse event to rifampin-containing regimen for treatment of skin infection caused by (letter), 893–894

initial antibiotic choice for treatment of cellulitis in pre- and post-emergence of, 436-439

Compartment syndrome, bilateral peroneal, after horse riding, 901.e3-901.e5 Computed tomography (CT)

in acute pulmonary embolism, interobserver agreement in the interpretation of, 1109-1111

association of female gender with ED delays to diagnosis of appendicitis in era of, 856--858

comparison of the palatability of flavored oral contrasts, 847-850 cranial, in the resuscitated patient with cardiac arrest, 63-67

for diagnosis of cerebral venous thrombosis presenting with subarachnoid hemorrhage, 96-106

for diagnosis of gallbladder perforation in acute cholecystitis, 574–581 for evaluation of periportal edema and ascites in traumatic cardiac tamponade,

for evaluation of periportal edema and ascites in traumatic cardiac tamponade. 127.e3-127.e4 and MRI, preauthorization program, effect on ED utilization, 328-332

spiral, prevalence of incidental findings in trauma patients detected by, 428–435 transient high-density area on, in juvenile lung injury, 249.e3–249.e4 use in patients with headache, 333–336

Conducted electrical weapons (CEWs), prolonged exposure of, effect on markers of acidosis in exhausted humans, 413-418

(letter), 747-749

Congenital asplenia, fatal pneumococcal Waterhouse-Friderichsen syndrome in a vaccinated adult with, 751.e3-751.e5

Congenital small bowel malrotation, precipitous decline of gravid patient with, 629.e5-629.e6

Congestive heart failure (CHF)

cardiac literature 2008, 481-491

IVC diameter use for identification of, 71-75

Continuous positive airway pressure (CPAP), effect in acute cardiogenic pulmonary edema with preserved or impaired left ventricular systolic function, 986–991

Contrast media, oral flavored, in CT, comparison of palatability of, 847–850 Cooling. see Hypothermia, therapeutic

Copperhead envenomation, onset shock, respiratory failure, and coagulopathy after, 377.e1-377.e5

Cornstarch powder, on medical gloves, citizen's petition to FDA to ban the use of, 227-235 Coronary artery

disease, emergency endoscopy for upper gastrointestinal bleeding in, 802-809 double, simultaneous thromboses of, in a young male with antithrombin III deficiency, 1169.e3-1169.e6

simultaneous occlusion, causing cardiogenic shock, 1175.e5-1175.e7

Coronary dissection, bilateral, after car accident, ACS as an unusual presentation of, 1024.e3-1024.e5

Coronary ostium, acute thromboembolic occlusion of, sudden death from, 1172.e1-1172.e3

Corticosteroid insufficiency, and lethal arrhythmia, 1167.e1-1167.e3

Cost-benefit analysis, of ED decision making in patients with non-high-risk heart

Cricothyroidotomy, emergency, in a patient with severe facial trauma and difficult neck anatomy, 133.e1-133.e4

(letter), 504-506

Critical care transport, factors associated with analgesia in trauma patients in, 49-54 Critical illness, effect of expedited admission from ED to ICU on duration of mechanical ventilation and hospital length of stay, 843-846

Cyclobenzaprine, serotonin syndrome induced by (letter), 509-510

diagnostic value in patients with suspected acute mesenteric ischemia, 975-979 pragmatic classification of the causes of high concentrations of, 1016.e5-1016.e7 serum level of, as diagnostic parameter for acute appendicitis, 765-769

Death, sudden, from acute thromboembolic occlusion of the left coronary ostium, 1172.e1-1172.e3

Decision making

cost-effectiveness analysis of ED in patients with non-high-risk heart failure, 293-302

value of DRE in (letter), 246-247

Delusions, of parasitosis, 997-999

Demyelinating polyneuropathy, acute inflammatory, as initial presentation of SLE. 900.e3-900.e5

Diabetic ketoacidosis, and normokalemia, acute inferior pseudoinfarction pattern in a patient with, 251.e3-251.e5

accuracy of bedside qualitative immunochromatographic test for acute MI (letter), 116-117

of acute appendicitis using D-dimer serum level, 765-769

of acute chest syndrome by lung sonography, 516.e5-516.e6

of acute mesenteric ischemia using

D-dimer, 975-979

IMA (letter), 239-240

of acute stroke, additive accuracy of the Triage Stroke Panel to the triaging nurse for, 558-562

considerations for acute loin pain, 254.e3-254.e4

delayed, of appendicitis in ED, association of female gender with, in the CT era,

early, of acute appendicitis, role of urinary 5-HIAA in, 409-412

in ED, of acute subretinal hemorrhage and exudative age-related macular degeneration, role of bedside ocular ultrasound in, 369.e5-369.e7

of IVCD, ECG algorithm for, 492-502

of Mallory-Weiss syndrome in the ED (letter), 1010-1015

of papilledema and increased intracranial pressure in pseudotumor cerebri using ultrasound, 376.e1-376.e2

of Plasmodium ovale infection, value of Liu's stain in, 759.e3-759.e5

of small bowel obstruction after gastric bypass using lipase levels, 1167.e5-1167.e7

of superficial temporal artery pseudoaneurysm in the ED, ultrasonography for, 627.e1-627.e3

Diagnostic testing, cardiac literature 2008, 481-491

Diclofenac, spontaneous thigh hematoma associated with, 129.e1-129.e2

Diet pill, cardiac arrest associated with consumption of (letter), 1010-1013

Digital rectal examination (DRE)

in the evaluation of undifferentiated abdominal pain, 1125-1129

role in suspected appendicitis in adults (erratum), 511

value in decision making (letter), 246-247

Dilated cardiomyopathy, clinical profiles of pediatric patients before diagnosis,

Dislocation

of the carpal-metacarpal joints of the index, middle and ring finger, 630.e1-630.e2 of heart, traumatic pericardial rupture with, transdiaphragmatic heart repositioning in the setting of emergency laparotomy after, 1024.e1-1024.e2

Drug abuse, of veterinary anesthesia containing tiletamine, movement disorder caused by, 1022.e5-1022.e6

Drug administration, tandem oral, rectal, and nasal, of ABS to control profuse bleeding leading to hemodynamic instability, 631.e1-631.e2

Drug combination, in treatment of experimental cardiac arrest, 651-659

Drug-eluting stents, simultaneous VAST of, 131.e5-131.e8

Drug overdose

of atypical antipsychotic medications, cardiovascular effects after, 607-616 extended-release bupropion, incidence and onset of delayed seizures after, 911-915 flecainide, causing Brugada-type pattern on ECG in a previously well patient, 375.e1-375.e3

(letter), 1013-1015

6-mercaptopurine, presentation in ED, 513.e1-513.e2

with phenprobamate, value of plasmapheresis in, 626.e1-626.e2

Dysrhythmias, cardiac literature 2008, 481-491

Eclampsia, status epilepticus confused with, due to proteinuria, 625.e5-625.e6 Ectopic pregnancy, cornual, thirteen-week, 900.e1-900.e2

Editorials, 113-114, 707-708, 983-985

Educational status, relationship between degree of paramedic's occupational organizational commitment and, 830-837

Elderly patients. see Geriatric patients

Electrical weapons, conducted, prolonged exposure of, effect on markers of acidosis in exhausted humans, 413-418

(letter), 747-749

Electrocardiography (ECG)

acoustic, bedside prediction of increased left ventricular filling pressure using.

algorithm for rapid detection and diagnosis of IVCD, 492-502

Brugada-type pattern on, caused by flecainide overdose in a previously well patient, 375.e1-375.e3

(letter), 1013-1015

changes

during STEMI, 734-746

survival after hydrochloric acid ingestion with (erratum), 126

in diagnosis of Brugada syndrome associated with heat stroke, 634.e1-634.e3 for the diagnosis of seizure, 376.e3-376.e7

versus body surface mapping, for evaluation of ACS symptoms using emergency physician real-time interpretation, 816-822

versus body surface mapping, to detect STEMI, 779-784

manifestations of preexcitation syndrome, 878-888

manifestation of spontaneous pneumothorax, 750.e1-750.e5

in patients with MI in the troponin era, mortality based on, 146-152

ST-segment elevation, in Takotsubo cardiomyopathy vs. STEMI, 220-226

Electronic patient records, effect of change from paper records to, on ambulance call duration, 948-955

Emergency Coma Scale, concept, validity and simplicity of, for patients in the ED (letter), 240-243

Emergency department (ED)

association of female gender with delays to diagnosis of appendicitis in CT era, 856-858

associations between air pollution and visits to, for migraine and headache in Edmonton, Canada, 391-396

bundle of actions to improve adherence to Surviving Sepsis Campaign guidelines at, 668-674

characteristics of patients in relation to hyper-use of, 588-594

concept, validity and simplicity of Emergency Coma Scale for patients in (letter),

correlation between elevated cardiac troponin I and pulmonary artery obstruction index in with pulmonary embolism in, 449-453

and CPU, prevalence of syncope in, 271-279

decision making, cost-effectiveness analysis in patients with non-high-risk heart failure, 293-302

diagnosis and management of acute subretinal hemorrhage and exudative age-related macular degeneration, 369.e5-369.e7

diagnosis of Mallory-Weiss syndrome in (letter), 1010-1015

effective influenza vaccine program in (letter), 1154-1157

effect of CT and MRI preauthorization program on utilization of, 328-332

efficacy and feasibility of acupuncture for patients with acute, nonpenetrating musculoskeletal injury of the extremities, 280-284

ESR for the diagnosis of GCA in, 255.e1-255.e3

expedited admission of critically ill patients to ICU from, effect on duration of mechanical ventilation and hospital length of stay, 843-846

factors influencing acceptance of influenza vaccination given in, 1027-1033 HIV testing in United States, 1993-2004, 868-874

impact of practical guidelines for the request of chest and abdominal X-ray in nontraumatic pathologic conditions at the, 76-83

lack of association between LBBB and acute MI in symptomatic patients, 916-921 lung ultrasound for diagnosis of pneumonia in, 379-384

need for confirmatory x-rays after percutaneous feeding tube replacement in, 519–524 observation in, versus hospitalization, on outcome of mad honey poisoning, 424–427 octreotide vs. prochlorperazine for the treatment of migraine headache, 160–16∓ patient estimation of blood loss in, 709–711

physicians' and nurses' choice of closure method for facial laceration (letter), 1159-1160

prediction of attendances and rostering using time demand analysis and system status management, 16-22

(letter), 362-363

predictors of difficult intubation in, 905-910

presentation of 6-mercaptopurine overdose in, 513.e1-513.e2

prognostic significance of BNP in patients with SIRS or sepsis, 701-706

prolonged stay in, effect on outcome in patients with necrotizing fasciitis, 385-390 radiographic signs of pneumoperitoneum at, 320-327

rate of STI in patients with vaginal bleeding, 563-569

relationship between alcohol consumption and severity of injury in trauma patients, 956-960

relationship between physician risk-taking behavior and imaging use in patients with abdominal pain, 552-557

resident productivity as a function of volume and shift length in, 313-319 role in prevention of repeat falls in elderly patients, 303-307

ruptured interstitial pregnancy diagnosed by emergency ultrasonography in, 1170.e1-1170.e2

social support among adults seeking care for acute respiratory tract infections in, $582\!-\!587$

spontaneous or primary aortoduodenal fistula presenting with upper gastrointestinal bleeding in, 1169.e1–1169.e2

sunitinib-induced myxedema coma in a patient with severe hypothermia, 370.e1-370.e3

thoracic impedance versus chest radiograph to diagnose acute pulmonary edema in, 770-775

toxic chemical effects presenting in (letter), 1149-1154

ultrasonographic diagnosis of superficial temporal artery pseudoaneurysm in, 627.e1-627.e3

urine culture versus urinalysis for evaluation of UTI in febrile infants presenting to, 930-932

use of military beneficiaries, 1104-1108

validation of self-reported COPD among patients in, 191-196

for asthma in Japan, relationship of air pollution and weather conditions to, 153–159 for chest pain, relation to air pollution, 165–168

for cutaneous abscesses, national epidemiology of, 289-292

visit volume and quality of care in acute exacerbations of COPD, 1040-1049 worsening of on-call coverage in California, 785-791

xanthogranulomatous pyelonephritis presentation in, 1175.e1-1175.e3

Emergency department technicians (EDT), ultrasound-guidance vs. standard technique in patients with difficult vascular access, 135–140

Emergency medical services

influence of prearrest shock and respiratory insufficiency on outcome in patients with out-of-hospital cardiac arrest witnessed by, 440-448

use by stroke patients, 141-145

Emergency medicine (EM)

expert consensus on treatment strategies in non-ST-segment elevation ACS in patients undergoing PCI, 720-728

of specific injuries associated with nuclear terrorism (letter), 1148-1149 workforce in, current status in the United States, 691-700

Emergency physicians

anterior tibial artery pseudoaneurysm detected by bedside ultrasound, 129.e3–129.e4 awareness for the need of hyperthyroidism screening in patient with acute ascending paralysis, 371.e1–371.e3

body surface mapping versus 12-lead ECG for evaluation of ACS symptoms using real-time interpretation by, 816-822

diagnostic and therapeutic implications of RBBB in ACS for, 1130-1141 role in prevention of repeat falls in elderly patients, 303-307

treatment of skin and soft tissue infections in community-acquired methicillin-resistant Staphylococcus aureus, 68-70

use of α -blockade for the treatment of ureteral stones, 776–778

Encephalopathy, delayed, at the early phase of carbon monoxide poisoning, interleukin 6 in cerebrospinal fluid as predictive marker of, 992–996

Endocarditis, infective, splenic infarction and abscess complicating, 1021.e3-1021.e5

Endoscopy, emergency, for upper gastrointestinal bleeding in patients with coronary artery disease, 802–809

Endotracheal intubation, prehospital, controversy on, 1142-1147

Endotracheal tube cuff

assessment of pressures in patients intubated before transport, 980–982 ethics, equipoise, and evidence (editorial), 983–985

Endovascular treatment, of gastrointestinal bleeding caused by a secondary aortoenteric fistula, 374.e3-374.e5

End-tidal carbon dioxide, measured by capnography, in nonintubated patients with respiratory distress, 1056-1059

Enoxaparin, thrombocytopenia induced by, systemic bleeding in, 756.e1–756.e2 Envenomation

copperhead, onset shock, respiratory failure, and coagulopathy after, 377.e1–377.e5 Latrodectus mactans, priapism associated with, 759.e1–759.e2

Environmental exposure, to chlorine gas, acute health effects after train derailment, 1–7 Enzyme-assisted subcutaneous infusion, rapid vascular glucose uptake via, 1072–1080 Epidural hematoma

cervical, after chiropractic spinal manipulation, 1023.e1-1023.e2

spinal

spontaneous, presenting with quadriplegia after sit-ups exercise, 1170.e3-1170.e7 after stretch exercise, 902.e1-902.e2

spontaneous, of the thoracic spine, 628.e5-628.e6

Epigastric pain, as late mechanical complication after vertical banded gastroplasty, 633.e5-633.e7

Epinephrine, in combination with atenolol and levosimendan, in treatment of experimental cardiac arrest, 651-659

Erythrocyte sedimentation rate (ESR), for the diagnosis of GCA in ED, 255.e1–255.e3
Esophageal temperature, versus jugular bulb temperature, during head and neck cooling after cardiac arrest, 460–465

Ethylene glycol, poisoning, diagnosed by false elevation of blood lactate, 132.e1-132.e2

Exercise

rhabdomyolysis induced by, outcomes in prisoners (letter), 115-116

sit-ups, spontaneous spinal epidural hematoma presenting with quadriplegia after, 1170.e3-1170.e7

stretch, spinal epidural hematoma after, 902.e1-902.e2

yoga, rectus sheath hematoma caused by, 899.e1-899.e2

Exercise stress test, for management of low-risk patients with chest pain, 889-892

Exhaustion, effect of prolonged exposure of TASER CEWs on markers of acidosis in humans, 413-418

(letter), 747-749

 $Extended\ Focused\ Assessment\ with\ Sonography\ in\ Trauma\ (eFAST),\ as\ diagnostic\ tool\\ for\ traumatic\ appendicitis,\ 632.e5-632.e7$

Extrapontine myelinolysis, presenting as generalized tonic seizures, after correction of hyponatremia (letter), 243

EZ-IO-powered drill device, tibial versus humeral intraosseous access using, 8-15

Facial laceration, physicians' and nurses' choice of closure method in ED (letter), 1159–1160

Facial trauma, severe, and difficult neck anatomy, emergency cricothyroidotomy in a patient with, 133.e1-133.e4

(letter), 504-506

Fasciitis, lethal necrotizing streptococcal, after minor contusion injury in a child, 1017.e3-1017.e5

Feeding tube replacement, percutaneous, in ED, need for confirmatory x-rays after, 519-524

Femoral artery embolism, simultaneous bilateral, presenting with acute paraplegia, 753.e3–753.e4

Fentanyl, heroin laced with, overdose of, in unexpected places (letter), 237–239 Fever, and abdominal pain, following drainage of peritonsillar abscess, 515.e3–515.e5

Fibrinolysis, versus primary angioplasty, in STEMI, PCI-related time delay, patient's risk profile and survival benefits of, 712–719Fibrinolytics, ischemic stroke after administration of, in a patient with a ventricular

pseudoaneurysm, 1176.e5–1176.e7 Fibrinolytic therapy, in pulmonary embolism, 84–95

Finger

Finge

edematous, an alternative method for entrapped ring removal from (letter), 1165–1166 index, middle and ring, dislocation of the carpal-metacarpal joints of, 630.e1–630.e2 Fist, external blood loss estimation using, 1085–1090

Flecainide, overdose of, causing Brugada-type pattern on ECG in a previously well patient, 375.e1-375.e3

(letter), 1013-1015

Flexeril (cyclobenzaprine), serotonin syndrome induced by (letter), 509-510 Flurbiprofen, oral, myocarditis due to use of, 132.e3-132.e5

Food and Drug Administration (FDA), citizen's petition to ban cornstarch powder on medical gloves, 227–235

Fourier's gangrene, associated with purple urine bag syndrome (letter), 895-897 Fracture

pelvic, stability evaluation of, and need for angioembolization, 792-796 of rib, emergency bedside ultrasound for diagnosis of, 617-620

Gallbladder perforation, in acute cholecystitis, segmented neutrophil and CT for diagnosis of, 574-581

Gastric bypass, elevated lipase levels in diagnosis of small bowel obstruction after, 1167.e5-1167.e7

Gastrointestinal bleeding

caused by a secondary aortoenteric fistula, endovascular treatment of, 374.e3–374.e5 spontaneous or primary aortoduodenal fistula presenting with, in the ED, 1169.e1–1169.e2

upper, in patients with coronary artery disease, emergency endoscopy for, 802–809

Gastroplasty, vertical banded, epigastric pain as late mechanical complication after, 633,e5–633,e7

Genital injury, patterns in postmenopausal victims of sexual assault, 922-929 Geriatric patients

with ACS, prediction of myocardial infarction risk, 675-682 CTI for identifying risk factors for recurrent falls in, 23-36 early recognition of myxedematous respiratory failure in, 212-215

role of ED staff in prevention of repeat falls in, 303-307

Giant cell temporal arteritis (GCA), ESR for the diagnosis of, in ED, 255.e1–255.e3 Globe injuries, open, prognostic indicators of visual outcome in children, 530–535 Glottic web, a reason for difficult intubation, 368.e3–368.e4

Gloves, medical, citizen's petition to FDA to ban cornstarch powder on, 227–235

Glucose uptake, vascular, via enzyme-assisted subcutaneous infusion, 1072–1080 Glycoprotein Ilb-IIIa inhibitors, facilitated angioplasty with combined thrombolytic therapy and, in patients with STEMI, 683–690

Graves disease, acute chorea as a presentation of, 369.e1-369.e3

Guillain-Barre syndrome, unusual association between cerebral vein thrombosis and, 758.e3-758.e4

Gum elastic bougie, comparison of different brands of, 266-270

Hair apposition technique, modified, as primary closure method for scalp lacerations, 1050-1055

Haloperidol, neuroleptic malignant syndrome induced by, complicated by hyperosmolar hyperglycemic state, 1018.e1–1018.e3

Headache

associations between air pollution and ED visits for, in Edmonton, Canada, 391-396

cluster-like, as an opening symptom of cervical spinal epidural abscess, 370.e5-370.e6

isolated, spontaneous bilateral carotid artery dissection presenting with, 754.e1-754.e3

use of CT in patients with, 333-336

Head injury, interhemispheric lipoma masquerading as pneumocranium in a patient with, 516.e1-516.e3

Health status, as predictor of postconcussion syndrome after minor injury, 182–190
Heart dislocation, partial, traumatic pericardial rupture with, transdiaphragmatic heart repositioning in the setting of emergency laparotomy after, 1024.e1–1024.e2

Heart failure, non-high-risk, cost-effectiveness analysis of ED decision making in patients with, 293-302

Heart repositioning, transdiaphragmatic, in the setting of emergency laparotomy, after traumatic pericardial rupture with partial heart dislocation, 1024.e1-1024.e2

Heat injury, urine dipstick test for blood in detection of rhabdomyolysis in, 875-877 Heat stroke

bacterial translocation in, 1168.e1-1168.e2

Brugada ECG pattern associated with, 634.e1-634.e3

fatal exertional, successful treatment with cold hemofiltration, 751.e1-751.e2 Hemodialysis

calcium-free, successful treatment of hypercalcemic crisis with, 1174.e1-1174.e3 hepatic portal venous gas induced by emphysematous pyelonephritis in a patient on, 1171.e1-1171.e3

lidocaine, phenylephrine, and, for treatment of cardiovascular collapse from caffeine overdose, 253.e3–253.e6

Hemodynamics

instability, profuse bleeding leading to, controlled by tandem oral, rectal, and nasal administrations of ABS, 631.e1-631.e2

after intraosseous administration of hydroxocobalamin or normal saline in a goat model, 1065-1071

Hemofiltration, cold, fatal exertional heat stroke successfully treated with, 751.e1-751.e2

Hemoptysis, massive, and acute respiratory failure, pheochromocytoma presenting as, 626.e3-626.e4

Hemorrhage

from blunt liver trauma, multipolar radiofrequency ablation for control of, 197–201 intracerebral, critical care literature 2008, 1000–1009

subarachnoid, CT for diagnosis of cerebral venous thrombosis presenting with, 96-106

Hemothorax, non-traumatic, caused by Bochdalek diaphrágmatic hernia masquerading as pneumonia, 252.e1–252.e2

Hepatic portal venous gas, induced by emphysematous pyelonephritis, in a hemodialytic patient, 1171.e1–1171.e3

Hepcidin, liver expression in acute iron intoxication, 761-764

Herbal medicines

in acute care medicine (editorial), 113-114

as future possibilities for the treatment of septic shock, 107-112

Herceptin. see Trastuzumab

Hemia

Bochdalek diaphragmatic, masquerading as pneumonia, causing non-traumatic hemothorax, 252.e1-252.e2

incarcerated paraesophageal, surgical emergency due to, 134.e1–134.e3

Heroin, fentanyl-laced, overdose of, in unexpected places (letter), 237-239

Hoarseness, as first manifestation of aortotracheal fistula, 1019.e1-1019.e3

Horse riding, bilateral peroneal compartment syndrome after, 901.e3-901.e5 Hospital admission

and length of stay, due to VOC in children with SCD, 797–801 seasonal and weekly patterns of, for nonfatal and fatal MI, 1097–1103 Hospitalization

versus ED observation, on outcome of mad honey poisoning, 424–427 Human immunodeficiency virus (HIV)

antibiotic resistance in Staphylococcus aureus -containing cutaneous abscesses of patients with, 344–347

testing, in United States EDs, 1993-2004, 868-874

Hydrochloric acid, ingestion of, with ECG change, survival after (erratum), 126 Hydroxocobalamin, hemodynamics after intraosseous administration of, in a goat model, 1065–1071

5-Hydroxyindoleacetic acid (5-HIAA), urine levels, role in the early diagnosis of acute appendicitis, 409–412

Hyperbaric oxygen therapy, tension pneumocephalus as a rare complication after, 257.e1-257.e3

Hypercalcemia

crisis, successful treatment with prompt calcium-free hemodialysis, 1174 e1–1174,e3 tuberculosis associated with IRIS characterized by, 629.e1–629.e3

Hyperchloremia, spurious, ataxia associated with, 752.e1-752.e3

Hyperfibrinogenolysis, induced by a wasp sting anaphylaxis, 1176.e1–1176.e3 Hyperglycemia

acute ischemic stroke, and MI, triggered by acute chlorine gas inhalation, 1022.e1-1022.e4

critical care literature 2008, 1000-1009

hyperosmolar, haloperidol-induced neuroleptic malignant syndrome complicated by, 1018.e1–1018.e3

wheeze associated with, 368.e1-368.e2

Hyperosmolar hyperglycemic state, haloperidol-induced neuroleptic malignant syndrome complicated by, 1018.e1–1018.e3

Hypersensitivity coronary syndrome. see Kounis syndrome

Hypersensitivity myocarditis. see Myocarditis, hypersensitivity

Hypertension, pulmonary, in a patient with Schmidt syndrome, 1025.e1–1025.e2 Hyperthyroidism

Basedow's paraplegia and pancytopenia as rare presentations of, 258.e1–258.e2 screening in patient with acute ascending paralysis, awareness in emergency physicians for the need of, 371.e1–371.e3

Hypertonic fluid, versus isotonic fluid, during resuscitation of severely burned patients, 1091–1096

Hypoglycemia, induced by repaglinide, successful treatment with octreotide, 756,e3-756,e4

Hyponatremia, extrapontine myelinolysis presenting as generalized tonic seizures after correction of (letter), 243

Hypothermia

severe, sunitinib-induced myxedema coma in a patient presented to the ED with, 370.e1-370.e3

therapeutic

after cardiac arrest, comparison of jugular bulb temperature and esophageal temperature during, 460-465

immediate prehospital protocol, in comatose survivors of out-of-hospital cardiac arrest, 570-573

for resuscitation of a patient in asystole after TASER injury, 515.e1-515.e2 Hypovolemic shock, recurrent episodes of, in SCLS, 755.e5-755.e7

Idiopathic systemic capillary leak syndrome (SCLS), recurrent episodes of abdominal pain and hypovolemic shock in, 755.e5-755.e7

Imaging, association between physician risk-taking behavior and use of, in ED patients with abdominal pain, 552–557

Imidacloprid poisoning

acute, severe central nervous system depression in a patient with, 1171.e5-1171.e7 respiratory arrest due to, 256.e5-256.e6

Immune reconstitution inflammatory syndrome (IRIS)

role in tuberculous pyomyositis, 251.e1-251.e2

tuberculosis associated with, characterized by hypercalcemia, 629.e1–629.e3 Immunochromatographic test, qualitative, bedside, diagnostic accuracy for acute MI (letter), 116–117

Infant. see Pediatrics

Infection, skin and soft tissue, in community-acquired methicillin-resistant

Staphylococcus aureus era, emergency physicians' treatment of, 68-70

Infectious Diseases Society of America/ American Thoracic Society (IDSA/ATS) criteria, to predict severe community-acquired pneumonia caused by Streptococcus pneumoniae, validation of, 968–974

Infective endocarditis, splenic infarction and abscess complicating, 1021.e3–1021.e5 Inferior vena cava (IVC), diameter, for identification of CHF, 71–75

Influenza vaccination, in ED

effective program (letter), 1154-1157

factors influencing acceptance of, 1027-1033

Infusion rate, of metoclopramide, incidence of acute akathisia in relation to, 475–480 Ingestion, of hydrochloric acid, with ECG change, survival after (erratum), 126 Inhalation, of chlorine gas, MI, acute ischemic stroke, and hyperglycemia triggered by,

1022.e1-1022.e4

Injury

acute nonpenetrating musculoskeletal, of extremities, efficacy and feasibility of acupuncture for ED patients with, 280-284

associated with nuclear terrorism, clues for EM of (letter), 1148–1149 chest, pulmonary edema induced by, in an infant (letter), 1160 of liver and spleen, after use of a mechanical CPR device, 1017.e1–1017.e2 minor, health status as predictor of postconcussion syndrome after, 182–190 minor contusion, lethal streptococcal fasciitis after, in a child, 1017.e3–1017.e5

severity of, relationship between alcohol consumption and, in ED trauma patients, 956–960

Intensive care unit (ICU), expedited admission of critically ill patients from ED to, effect on duration of mechanical ventilation and hospital length of stay, 843–846 Interhemispheric lipoma, masquerading as pneumocranium, in a patient with head

injury, 516.e1–516.e3
Interleukin 6, in cerebrospinal fluid, as predictive marker of delayed encephalopathy at the early phase of carbon monoxide poisoning, 992–996

Internal jugular vein. see Jugular vein, internal

Intimate partner violence (IPV), adult perpetrators versus nonperpetrators as child witnesses of, 641-650

Intoxication

acute, with iron, liver expression of hepcidin in, 761-764

alcohol, first-order alcohol elimination in an adolescent, 128.e5–128.e6 amantadine, obstructive acute renal failure related to, 371.e5–371.e7

chemicals, presenting in the ED (letter), 1149-1154

dipropylene glycol, renal failure caused by (letter), 122-123

salicylate, delayed, with undetectable initial levels after large-dose aspirin ingestion, 1173.e1-1173.e3

with Solanum erianthum, mimicking an acute cerebrovascular disease, 249.e1-249.e2

tramadol, multiply organ dysfunction syndrome due to, 903.e5-903.e7 tricyclic antidepressant, treated with massive sodium bicarbonate, 1168.e3-1168.e7 with valproic acid

imitating brain death, 1177.e5-1177.e6

that was unrecognized, 250.e1-250.e2

Intracerebral hemorrhage, critical care literature 2008, 1000-1009

Intramuscular injection, efficacy of ShotBlocker in reducing pediatric pain associated with, 536-543

Intraosseous access, tibial versus humeral, using EZ-IO-powered drill device, 8–15 Intraosseous administration, of hydroxocobalamin or normal saline, hemodynamics after, 1065–1071

Intraventricular conduction delay (IVCD), ECG algorithm for rapid detection and diagnosis, 492-502

Intubation

difficulty

in the ED, predictors of, 905-910

glottic web a reason for, 368.e3-368.e4

with direct laryngoscopy vs. handheld videoscope, in uncomplicated manikin airways, 259–261

orotracheal, uvular necrosis after, 631.e3-631.e4

before transport, endotracheal tube cuff pressures, 980-982

ethics, equipoise, and evidence (editorial), 983-985

Iron, acute intoxication with, liver expression of hepcidin in, 761-764

Iron deficiency anemia, due to chronic uterine bleeding, severe lactic acidosis as a result of, 377.e7–377.e9

Ischemia-modified albumin (IMA)

in diagnosis of acute mesenteric ischemia (letter), 239-240

for pulmonary embolism diagnosis, 635-640

Ischemic colitis, induced by marathon running, 255.e5-255.e7

Ischemic stroke

acute

critical care literature 2008, 1000-1009

MI, and hyperglycemia, triggered by acute chlorine gas inhalation, 1022.e1–1022.e4 after administration of fibrinolytics, in a patient with a ventricular pseudoaneurysm, 1176.e5–1176.e7

influence of major risk factors on weekly pattern of onset of (letter), 244–246
Isotonic fluid, versus hypertonic fluid, during resuscitation of severely burned patients,
1091–1096

Jaundice, painless, incidental finding of portal vein thrombosis secondary to protein C deficiency in (erratum), 126

Jejunal perforation, after thoracic trauma, late presentation of, 1177.e1-1177.e3Jugular bulb temperature, versus esophageal temperature, during head and neck cooling after cardiac arrest, 460-465

Jugular vein, internal

bedside ultrasonography of, correlation with central venous pressure, 851–855 ultrasound validation of maneuvers to increase cross-sectional area and decrease compressibility of, during simulated venipuncture, 454–459

Kayexalate. see Sodium polystyrene sulfate

Ketamine, adverse events associated with, for procedural sedation in adults (erratum), 512

Ketoacidosis, diabetic, and normokalemia, acute inferior pseudoinfarction pattern in a patient with, 251.e3-251.e5

Kidney rupture, primary obstructive megaureter with, 133.e5-133.e6

Klebsiella pneumoniae septicemia, due to bacterial translocation, acute appendicitis presenting with, 1023.e3–1023.e4

Kounis syndrome, and hypersensitivity myocarditis (letter), 506-508

Laceration

of face, physicians' and nurses' choice of closure method in ED (letter), 1159–1160 of scalp, modified hair apposition technique as primary closure method for, 1050–1055

B-Lactam antibiotics, versus CAMRSA antibiotics, for treatment of cellulitis in preand post-CAMRSA eras, 436–439

Lactate, blood, false elevation of, in diagnosis of ethylene glycol poisoning, 132.e1-132.e2

Lactic acidosis, as a result of iron deficiency anemia due to chronic uterine bleeding, 377.e7–377.e9

Laparotomy, emergency, transdiaphragmatic heart repositioning in the setting of, after traumatic pericardial rupture with partial heart dislocation, 1024.e1-1024.e2 Larvneoscopy

direct, vs. handheld videoscope, faster intubation in uncomplicated manikin airways, 259–261

Macintosh, versus Rusch ViewMax, for vocal cord visualization in human cadavers, 864–867

Latrodectus mactans, envenomation, priapism associated with, 759.e1-759.e2 Left bundle-branch block (LBBB)

complete, trastuzumab-associated cardiomyopathy presenting as new onset of, mimicking ACS, 903.e1-903.e3

lack of association between acute MI and, in symptomatic ED patients, 916–921 Left ventricular filling pressure, increased, bedside prediction using acoustic ECG, 307–408

Left ventricular outflow tract obstruction, and cardiogenic shock treated with $\beta\text{-blockers},\,373.e1-373.e3$

Left ventricular systolic function, preserved or impaired, effect of CPAP in acute cardiogenic pulmonary edema with, 986–991

Lemierre syndrome, following drainage of peritonsillar abscess, 515,e3-515.e5 Length of stay, in hospital

due to VOC in children with SCD, 797-801

effect of expedited admission of critically ill patients requiring mechanical ventilation from ED to ICU on, 843-846

Levalbuterol, misconceptions in the treatment of acute asthma exacerbations in children (letter), 117-119

Levosimendan, in combination with epinephrine and atenolol, in treatment of experimental cardiac arrest, 651-659

Lidocaine, phenylephrine, and hemodialysis, for treatment of cardiovascular collapse from caffeine overdose, 253.e3–253.e6

Lipoma, interhemispheric, masquerading as pneumocranium, in a patient with head injury, 516.e1-516.e3

Liu's stain, value in rapid diagnosis of *Plasmodium ovale* infection, 759.e3–759.e5 Liver

expression of hepcidin in acute iron intoxication, 761-764

failure, and portal vein thrombus, in a patient with pheochromocytoma crisis, 630.e3-630.e5

rupture, after use of a mechanical CPR device, 1017.e1-1017.e2

trauma, blunt, multipolar radiofrequency ablation to control hemorrhage from, 197-201

Loin pain, acute, considerations in the diagnosis and therapy for, 254.e3-254.e4
Long QT syndrome, and torsades de pointes, induced by acute sulpiride poisoning, 1016.e1-1016.e3

Lumbar puncture, gross xanthochromia on, without acute subarachnoid hemorrhage, 621-623

Lung injury, juvenile, transient high-density area on CT in, 249.e3-249.e4 Lung ultrasonography

acute chest syndrome diagnosed by, 516.e5-516.e6

for diagnosis of pneumonia in the ED, 379-384

Lupus erythematosus, systemic, AIDP as initial presentation of, 900.e3-900.e5

Macintosh laryngoscopy, versus Rusch ViewMax, for vocal cord visualization in human cadavers, 864–867

Macular degeneration, age-related, exudative and acute subretinal hemorrhage, role of bedside ocular ultrasound in ED diagnosis and management of, 369.e5–369.e7

Mad honey, poisoning with, patterns of monitoring and treatment, 424–427

Magnesium sulfate, monkshood (aconite napel) poisoning successful treated with, 755.e1-755.e4

Magnetic resonance imaging (MRI), and CT, preauthorization program, effect on ED utilization, 328–332

Malfory-Weiss syndrome, diagnosis in the ED (letter), 1010-1015

Manikin airways, uncomplicated, faster intubation with direct laryngoscopy vs. handheld videoscope in, 259–261

MAR method, external blood loss estimation using, 1085-1090

Measles pneumonitis, ultrasonographic detection of radio-occult interstitial lung involvement in, 128.e1–128.e3

Mechanical ventilation, see Ventilation, mechanical

Medicinal plant extract, profuse bleeding leading to hemodynamic instability controlled by tandem oral, rectal, and nasal administrations of, 631.e1-631.e2

Megaureter, primary obstructive, with ruptured kidney, 133.e5-133.e6

Meningitis, pneumococcal, presenting with indolent features in young infants, 1173.e5–1173.e7

Meningoencephalitis, bacterial, pituitary adenoma with apoplexy mimicking, 517.e1-517.e4

6-Mercaptopurine, overdose of, presentation in ED, 513.e1-513.e2

Mesenteric ischemia, acute

diagnostic value of D-dimer in, 975-979

IMA in the diagnosis of (letter), 239-240

Mesenteric pseudocyst, posttraumatic, midgut volvulus as a delayed consequence of, 1025.e3-1025.e6

Metallic stents, for severe upper airway compression due to aortic aneurysm, 256.e1-256.e4

Methicillin-resistant Staphylococcus aureus (MRSA), emergency physicians' treatment of skin and soft tissue infections in era of, 68–70

Methylphenidate, and amphetamine, accidental pediatric ingestions of, outcomes after, 933-934

Metoclopramide, incidence of acute akathisia in relation to infusion rate of, 475–480 Midgut volvulus, as a delayed consequence of posttraumatic mesenteric pseudocyst, 1025.e3–1025.e6

Migraine

associations between air pollution and ED visits for, in Edmonton, Canada, 391–396 headache, octreotide vs. prochlorperazine ED treatment for, 160–164 Military beneficiaries, ED use of, 1104–1108

Monkshood (aconite napel), poisoning with, successful treatment with magnesium sulfate, 755.e1-755.e4

Mortality

based on ECG in patients with MI in the troponin era, 146-152

efficacy of low-dose antivenom therapy on, in snakebite cases (letter), 247-248 Motor vehicle accidents

ACS as an unusual presentation of bilateral coronary dissection after, 1024.e3-1024.e5

aumatic vertebral artery dissection presenting with Wallenberg syndrome after, 131.e1-131.e3

Movement disorder, caused by abuse of veterinary anesthesia containing tiletamine, 1022,e5–1022,e6

Multiply organ dysfunction syndrome, due to tramadol intoxication, 903.e5–903.e7
Musculoskeletal injury, of extremities, acute nonpenetrating, efficacy and feasibility of acupuncture for ED patients with, 280–284

Myasthenia gravis, positive for MuSK antibody, 754.e5-754.e6

Myelinolysis, extrapontine, presenting as generalized tonic seizures, after correction of hyponatremia (letter), 243

Myocardial contusion, induced RBBB with ST elevation and troponin elevation, 375,e5-375,e7

Myocardial infarction (MI)

acute

bone pain as an atypical early manifestation of (letter), 894–895 with cardiogenic shock, in a patient with acute aortic dissection, 899,c3–899,c6 diagnostic accuracy of bedside qualitative immunochromatographic test for (letter), 116–117

lack of association between LBBB and, in symptomatic ED patients, 916–921 multiple pulmonary arteriovenous malformations presenting as, 1020.e5–1020.e7 ruptured pheochromocytoma presenting as, 1018.e5–1018.e6

acute ischemic stroke, and hyperglycemia, triggered by acute chlorine gas inhalation, 1022.e1-1022.e4

mortality based on ECG in the troponin era, 146-152

nonfatal and fatal, seasonal and weekly patterns of hospital admissions for, 1097-1103

risk prediction in older patients with ACS, 675-682

ST-segment elevation. see ST-segment elevation myocardial infarction vocarditis

viyocaruitis

acute, clinical profiles of pediatric patients before diagnosis, 942-947 due to use of oral flurbiprofen, 132.e3-132.e5

hypersensitivity, and Kounis syndrome (letter), 506-508 Myositis, viral, progressing to rhabdomyolysis, 372.e5-372.e6

Myvodoma coma

Myxedema coma

severe angioedema in, difficult airway in, 1021.e1-1021.e2 sunitinib-induced, in a patient presented to the ED with severe hypothermia.

370.e1-370.e3

Nasopharyngeal airway placement, middle turbinectomy as complication of,

Nasopharyngeal airway placement, middle turbinectomy as complication of, 513.e3–513.e4

Neck anatomy, difficult, and severe facial trauma, emergency cricothyroidotomy in a patient with, 133.e1–133.e4

(letter), 504-506

Necrotizing fasciitis

effect of prolonged ED stay on outcome, 385-390

lethal streptococcal, after minor contusion injury in a child, 1017.e3-1017.e5

Neostigmine, for treatment of ACPO, 757.e1-757.e4

Neuroleptic malignant syndrome, induced by haloperidol, complicated by hyperosmolar hyperglycemic state, 1018.e1–1018.e3

Neuron-specific enolase, and \$100B protein, elevated serum levels in carbon monoxide poisoning, 838–842

Neutrophil, segmented, for diagnosis of gallbladder perforation in acute cholecystitis, 574–581

Normokalemia, and diabetic ketoacidosis, acute inferior pseudoinfarction pattern in a patient with, 251.e3–251.e5

Nuclear terrorism, clues for emergency medicine of specific injuries (letter), 1148–1149

Nurses, triage, additive accuracy of the Triage Stroke Panel to, for diagnosis of acute stroke, 558–562

Occlusion, simultaneous, of 2 coronary arteries, causing cardiogenic shock, 1175,e5–1175,e7

Occupational organizational commitment, paramedic's, relationship with levels of education and type of employment, 830-837

Octreotide

repaglinide-induced hypoglycemia successfully treated with, 756.e3-756.e4

vs. prochlorperazine, for treatment of migraine headache in the ED, 160–164 Oculomotor palsy, due to primitive trigeminal artery, relation between blood pressure control and symptomatic improvement of, 634.e5–634.e7

Ogilvie's syndrome. see Acute colonic pseudo-obstruction

Older patients. see Geriatric patients

On-call coverage, in California ED, worsening of, 785-791

Organophosphate poisoning

acute, in rats, effects of atropine and pralidoxime on cardiac damage in, 169-175 prognostic value of serial serum cholinesterase activities in, 1034-1039

Organophosphorus poisoning, profile of, 628.e1-628.e3

Orotracheal intubation, uvular necrosis after, 631.e3-631.e4

Outcomes

after exercise-induced rhabdomyolysis in prisoners (letter), 115-116 of frequent chest pain unit users of, 660-667

neurological, influence of early administration of selenium after cardiac arrest, 176 - 181

of out-of-hospital cardiopulmonary arrest, investigate the laboratory findings in predicting the, 308-312

Out-of-hospital

cardiac arrest

immediate prehospital hypothermia protocol in comatose survivors of, 570–573 witnessed by emergency medical service, influence of prearrest shock and respiratory insufficiency on outcome of, 440–448

cardiopulmonary arrest, investigate the laboratory findings in predicting the outcome of, 308-312

influence of CPR time before first defibrillation on outcome of VF patients, 470-474 Outpatient. see Out-of-hospital

Ovarian cyst torsion, in a toddler, 632.e1-632.e3

Ovarian hyperstimulation syndrome, as complication of ovulation induction, 250.e3-250.e4

Overdose, of caffeine, cardiovascular collapse from, lidocaine, phenylephrine, and hemodialysis for treatment of, 253.e3–253.e6

Ovulation induction, ovarian hyperstimulation syndrome as complication of, 250,e3-250,e4

Pain. see also specific type or site; specific type or site

associated with intramuscular injections in children, efficacy of ShotBlocker for, 536-543

paramedic management of, in prehospital setting, impact of patient sex on, 525-529

Palsy, oculomotor, due to primitive trigeminal artery, relation between blood pressure control and symptomatic improvement of, 634.e5-634.e7

Pancytopenia, and Basedow's paraplegia, as rare presentations of hyperthyroidism, 258.e1-258.e2

Papilledema, and increased intracranial pressure in pseudotumor cerebri, ultrasound in diagnosis of, 376.e1–376.e2

diagnosis of, 376.e1–376.e2

Paraesophageal hemia, incarcerated, surgical emergency due to, 134.e1–134.e3

Paralysis, acute ascending, awareness in emergency physicians for the need of

hyperthyroidism screening in patient with, 371.e1-371.e3

Paramedics impact of patient sex on pain management in prehospital setting, 525-529

relationship between degree of occupational/ organizational commitment and levels of education and type of employment, 830–837

Paraplegia, acute, simultaneous bilateral femoral artery emboli presenting with, 753.e3-753.e4

Parasitosis, delusions of, 997-999

Paroxysmal supraventricular tachycardia (PSVT), adenosine-induced cardiopulmonary arrest in a patient with, 901.e1-901.e2

Patient transport

endotracheal tube cuff pressures in patients intubated before, 980-982 ethics, equipoise, and evidence (editorial), 983-985

Pediatrics

addition of body habitus to length for weight estimation, 810-815 admission and length of stay due to VOC in SCD, 797-801

clinical profiles of patients with acute myocarditis and dilated cardiomyopathy before diagnosis, 942-947

efficacy of ShotBlocker in reducing pain associated with intramuscular injections, 536-543

lethal streptococcal fasciitis after minor contusion injury, 1017.e3–1017.e5 misconceptions regarding levalbuterol in the treatment of acute asthma exacerbations (letter), 117–119

outcomes after accidental ingestions of amphetamine and methylphenidate, 933-934

ovarian cyst torsion in a toddler, 632.e1-632.e3

pneumococcal meningitis presenting with indolent features in young infants, 1173.e5-1173.e7

prognostic indicators of visual outcome in open globe injuries, 530-535

pulmonary edema induced by chest injury (letter), 1160

pulmonary embolism presenting as acute abdomen, 514.e1-514.e5

surgical urgency in pheochromocytoma (letter), 1161

transient high-density area on CT in juvenile lung injury, 249.e3–249.e4 urine culture versus urinalysis for evaluation of UTI in febrile infants presenting to ED 391–932

Peritonsillar abscess, Lemierre syndrome following drainage of, 515.e3–515.e5 Pelvic fracture, stability evaluation of, and need for angioembolization, 792–796 Percutaneous coronary intervention (PCI)

expert consensus on treatment strategies in non-ST-segment elevation ACS in patients undergoing, 720-728

hospital availability of, considerations for ACS treatment, 595–606

-related time delay, patient's risk profile, and survival benefits of primary
angioplasty versus fibrinolysis in STEMI, 712–719

Pericardial effusion, with impending tamponade, misdiagnosis of, 216-219 (letter), 624

Pericardial rupture, traumatic, with partial dislocation of heart, transdiaphragmatic heart repositioning in the setting of emergency laparotomy after, 1024.e1-1024.e2

Periportal edema, and ascites, CT signs of traumatic cardiac tamponade, 127.e3–127.e4
Peritonitis, and acute ruptured appendicitis, with pseudomyocardial infarction,
627.e5–627.e8

Peroneal compartment syndrome, bilateral, after horse riding, 901.e3–901.e5 Phenprobamate, overdose with, value of plasmapheresis in, 626.e1–626.e2

Phentermine, cardiac arrest associated with consumption of (letter), 1010–1013

Phenylephrine, lidocaine, and hemodialysis, for treatment of cardiovascular collapse from caffeine overdose, 253.e3–253.e6

Pheochromocytoma

crisis, portal vein thrombus and liver failure in, 630.e3-630.e5

in pediatric age, surgical urgency in (letter), 1161

presenting as massive hemoptysis and acute respiratory failure, 626.e3-626.e4 ruptured, presenting as acute MI, 1018.e5-1018.e6

Physicians, risk-taking behavior of, association with imaging use, in ED patients with abdominal pain, 552-557

Physiologic affects, of altitude on recreational climbers, 1081-1084

Pituitary adenoma, with apoplexy, initial presentation mimicking bacterial meningoencephalitis, 517.e1-517.e4

Pituitary apoplexy, with adenoma, initial presentation mimicking bacterial meningoencephalitis, 517.e1-517.e4

Plasmapheresis, value in phenprobamate overdose, 626.e1-626.e2

Plasmodium ovale infection, value of Liu's stain in rapid diagnosis of, 759.e3-759.e5

Pneumocephalus, tension, as a rare complication after hyperbaric oxygen therapy, 257.e1-257.e3

Pneumococcal meningitis, presenting with indolent features in young infants, 1173.e5-1173.e7

Pneumocranium, interhemispheric lipoma masquerading as, in a patient with head injury, 516.e1–516.e3

Pneumon

Bochdalek diaphragmatic hernia masquerading as, causing non-traumatic hemothorax, 252.e1–252.e2

community-acquired, caused by Streptococcus pneumoniae, validation of IDSA/ ATS criteria to predict severity of, 968–974

lung ultrasound for diagnosis of, in the ED, 379-384

Pneumonitis, measles, ultrasonographic detection of radio-occult interstitial lung involvement in, 128.e1-128.e3

Pneumoperitoneum, radiographic signs at ED, 320-327

Pneumorrhachis, in entire subarachnoid space, caused by isolated head trauma, 902.e3-902.e6

Pneumothorax, spontaneous

ECG manifestation of, 750.e1-750.e5

new classification and clinical characteristics of REPE after treatment of, 961-967 Poisoning

acute

mixed organophosphorus, profile of, 628.e1-628.e3

with sulpiride, causing long QT syndrome and torsades de pointes, 1016.e1-1016.e3 aluminium phosphide, spontaneous self-ignition in, 752.e5-752.e6

with carbamate, management in a mass casualties event, 1117-1124 carbon monoxide

cerebellar white matter damage due to, 757.e5-757.e7

elevated serum \$100B protein and neuron-specific enolase levels in, 838-842

interleukin 6 in cerebrospinal fluid as predictive marker of delayed encephalopathy at early phase of, 992-996

ethylene glycol, diagnosed by false elevation of blood lactate, 132.e1-132.e2 imidacloprid

acute, severe central nervous system depression in a patient with, 1171.e5-1171.e7 respiratory arrest due to, 256.e5-256.e6

with mad honey, patterns of monitoring and treatment, 424–427 monkshood (aconite napel), successful treatment with magnesium sulfate, 755 e1–755 e4

organophosphate

acute, in rats, effects of atropine and pralidoxime on cardiac damage in, 169–175 prognostic value of serial serum cholinesterase activities in, 1034–1039 with rodenticide, as a cause of quadriparesis, 625.e1–625.e3

Portal vein thrombosis

acute, after blunt abdominal trauma, 372.e1-372.e3

and liver failure, in a patient with pheochromocytoma crisis, 630.e3–630.e5 secondary to protein C deficiency, incidental finding in painless jaundice (erratum), 126

Postconcussion syndrome, after minor injury, health status as predictor of, 182-190 Postintubation care, critical care literature 2008, 1000-1009

Postmenopausal women, sexual assault in, epidemiology and patterns of genital injury, $922\!-\!929$

Practical guidelines, impact for the request of chest and abdominal X-ray in nontraumatic pathologic conditions at the ED, 76–83

Pralidoxime, and atropine, effects on cardiac damage in acute organophosphate poisoning in rats, 169–175

Preexcitation syndrome, pathophysiology and 12-lead ECG manifestations of, 878-888

Pregnancy

cornual ectopic, thirteen-week, 900.e1-900.e2

early, rupture of splenic artery aneurysm during, 898.e5-898.e6

precipitous decline of patient with congenital small bowel malrotation during, 629.e5-629.e6

ruptured interstitial, diagnosed by emergency ultrasonography in the ED, 1170.e1-1170.e2

Pregnancy test, urine, false-positive, in a woman with adenomysosis, 1019.e5–1019.e7 Prehospital care

controversy on endotracheal intubation, 1142-1147

immediate hypothermia protocol in comatose survivors of out-of-hospital cardiac arrest, 570-573

impact of patient sex on paramedic pain management, 525-529

mechanical ventilation of a critical cardiac tamponade, 1020.e1-1020.e3

Priapism, associated with Latrodectus mactans envenomation, 759.e1-759.e2

Primitive trigeminal artery, symptomatic improvement of oculomotor palsy due to, relation between blood pressure control and, 634.e5-634.e7

Procalcitonin test kit, semiquantitative, usefulness as a guideline for starting antibiotic therapy, 859–863

Prochlorperazine, vs. octreotide, for treatment of migraine headache in the ED, 160-164 Propylene glycol, renal failure after ingestion of (letter), 122-123

Protein C deficiency, incidental finding of portal vein thrombosis secondary to, in painless jaundice (erratum), 126

Proteinuria, status epilepticus confused with eclampsia due to, 625.e5-625.e6 Pseudoaneurysm

of the anterior tibial artery, detected by emergency medicine physician performing bedside ultrasound, 129,e3-129,e4

subperiosteal traumatic, causing subperiosteal hematoma, 1172.e5-1172.e7

of superficial temporal artery, ultrasonographic diagnosis in ED, 627.e1-627.e3 ventricular, ischemic stroke after administration of fibrinolytics in a patient with, 1176.e5-1176.e7

Pseudoinfarction, acute inferior, in a patient with diabetic ketoacidosis and normokalemia, 251.e3-251.e5

Pseudomyocardial infarction, acute ruptured appendicitis and peritonitis with, 627.e5-627.e8

Pseudotumor cerebri, and papilledema, ultrasound in diagnosis of, 376.e1–376.e2 Pulmonary arteriovenous malformation, multiple, presenting as an acute MI, 1020.e5–1020.e7

Pulmonary artery obstruction index, correlation with elevated cardiac troponin I, in ED patients with pulmonary embolism, 449–453

Pulmonary contusion, effect on lung sliding during bedside ultrasound (letter), 363-365

Pulmonary edema

acute

cardiogenic, with preserved or impaired left ventricular systolic function, effect of CPAP in, 986-991 thoracic impedance versus chest radiograph for diagnosis of, in the ED, 770-775 induced by chest injury in an infant (letter), 1160

reexpansion, after treatment of spontaneous pneumothorax, new classification and clinical characteristics of, 961–967

Pulmonary embolism

acute, interobserver agreement in the interpretation of CT in, 1109-1111

correlation between elevated cardiac troponin I and pulmonary artery obstruction index in ED patients with, 449-453

fibrinolytic therapy in, 84-95

IMA in the diagnosis of, 635-640

presenting as acute abdomen in a child and adult, 514.e1-514.e5

Pulmonary hypertension, in a patient with Schmidt syndrome, 1025.e1-1025.e2

Purple urine bag syndrome, Fourier's gangrene associated with (letter), 895-897 Pyelonephritis

acute uncomplicated, diagnosis of renal lesion from, in the ED (letter), 1157–1159 emphysematous, hepatic portal venous gas induced by, in a hemodialytic patient, 1171.e1–1171.e3

xanthogranulomatous, presentation in the ED, 1175.e1-1175.e3

Pyomyositis

due to Streptococcus pneumoniae. 633.e1-633.e3

tuberculous, role of immune reconstitution inflammatory syndrome in, 251.e1-251.e2

QT syndrome, long, and torsades de pointes, induced by acute sulpiride poisoning, 1016.e1-1016.e3

Quadriparesis, caused by rodenticide poisoning, 625.e1-625.e3

Quadriplegia, after sit-ups exercise, spontaneous spinal epidural hematoma presenting with, 1170.e3-1170.e7

Quality of care, in acute exacerbations of COPD in ED, 1040-1049

Radiofrequency ablation, multipolar, to control hemorrhage from blunt liver trauma, 197-201

Radiography

abdominal and chest, in nontraumatic pathologic conditions at the ED, impact of practical guidelines for the request of, 76-83

chest, versus thoracic impedance, to diagnose acute pulmonary edema in the ED, 770–775

after percutaneous feeding tube replacement in ED, 519-524

of pneumoperitoneum at ED, 320-327

Rectus sheath hematoma, caused by yoga exercise, 899.e1-899.e2

Reexpansion pulmonary edema (REPE), after treatment of spontaneous pneumothorax, new classification and clinical characteristics of, 961–967

Renal colic

renal infarction misdiagnosed as, 750.e7-750.e9

successful treatment with trigger point injection, 252.e3-252.e4

Renal failure

acute, obstructive, related to amantadine intoxication, 371.e5-371.e7

after ingestion of dipropylene glycol (letter), 122-123

Renal infarction

idiopathic, sentinel central retinal artery occlusion a forme fruste of, 253.e1-253.e2

misdiagnosed as renal colic, 750.e7-750.e9

Repaglinide, hypoglycemia induced by, successful treatment with octreotide, 756.e3-756.e4

Resident productivity, as a function of volume and shift length in ED, 313-319

Respiratory arrest, due to imidacloprid poisoning, 256.e5-256.e6

Respiratory distress, capnography monitoring in nonintubated patients with, 1056-1059

Respiratory failure

acute, and massive hemoptysis, pheochromocytoma presenting as, 626.e3-626.e4 myxedematous, early recognition in the elderly, 212-215

onset shock and coagulopathy after copperhead envenomation, 377.e1-377.e5
Respiratory insufficiency, and shock, prearrest signs of, influence on outcome in patients with emergency medical service-witnessed out-of-hospital

cardiac arrest, 440-448
Respiratory syndrome, severe acute, testing of syndromic surveillance system using a model of, 419-423

Respiratory tract infections, acute

nonbacterial, antibiotic prescribing for, 544-551

social support among adults seeking care in ED, 582-587

Resuscitation

critical care literature 2008, 1000-1009

of a patient in asystole after TASER injury using hypothermia protocol, 515.e1-515.e2

of severely burned patients, isotonic *versus* hypertonic fluids during, 1091–1096 Retinal artery occlusion, central, a forme fruste of idiopathic renal infarction, 253.e1–253.e2

Rhabdomyolysis

induced by exercise, outcomes in prisoners (letter), 115-116

in patients with suspected heat injury, urine dipstick test for blood in detection of, 875-877

viral myositis progressing to, 372.e5-372.e6

Rib fracture, emergency bedside ultrasound for diagnosis of, 617-620

Rifampin, adverse event associated with, for treatment of CAMRSA skin infection (letter), 893-894

Right bundle-branch block (RBBB)

in ACS, diagnostic and therapeutic implications for the emergency physician, 1130–1141 with ST elevation and troponin elevation, myocardial contusion-induced, 375.e5–375.e7

Ring, entrapped, from an edematous finger, an alternative method for removal of (letter), 1165–1166

Risk factors

influence on weekly pattern of onset of ischemic stroke (letter), 244–246 for recurrent falls in elderly patients, CTI for identification of, 23–36

Risk stratification, of patients with chest pain, combination of TIMI risk score and clear-cut alternative diagnosis for, 37-42

Risk-taking behavior, of physicians, association with imaging use, in ED patients with abdominal pain, 552-557

Rodenticide, poisoning with, as a cause of quadriparesis, 625.e1-625.e3

Roller coaster ride, subacute subdural hematoma following, 517.e5-517.e6

Running, marathon, ischemic colitis induced by, 255.e5–255.e7

Rupture, of splenic artery aneurysm, during early pregnancy, 898.e5-898.e6

Rusch ViewMax, versus Macintosh laryngoscopy, for vocal cord visualization in human cadavers, 864–867

Salicylate, delayed toxicity, with undetectable initial levels after large-dose aspirin ingestion, 1173.e1-1173.e3

Saline, normal

anaphylaxis to, 130.e1-130.e2

hemodynamics after intraosseous administration of, in a goat model, 1065–1071

Salmonella, nontyphi, after urinary tract infection, septic arthritis of the hip caused by,

373.e5–373.e8

S100B protein, and neuron-specific enolase, elevated serum levels in carbon monoxide poisoning, 838–842

Scalp laceration, modified hair apposition technique as primary closure method for, 1050-1055

Schmidt syndrome, pulmonary hypertension in a patient with, 1025.e1–1025.e2 Sedation, procedural, in adults, adverse events associated with ketamine for (erratum), 512

Seizure

ECG for the diagnosis of, 376.e3-376.e7

generalized tonic, extrapontine myelinolysis presenting as, after correction of hyponatremia (letter), 243

incidence and delayed onset of, after overdoses of extended-release bupropion, 911-915

Selenium, early administration of, influence on neurological outcome after cardiac arrest, 176-181

Self-ignition, spontaneous, in a case of acute aluminium phosphide poisoning, 752.e5–752.e6

Sepsis

bundle of actions to improve adherence to Surviving Sepsis Campaign guidelines at ED, 668-674

critical care literature 2008, 1000-1009

prognostic significance of BNP

(editorial), 707-708

in ED patients with, 701-706

Septic arthritis, of the hip caused by nontyphi Salmonella after urinary tract infection, 373 e5-373 e8

Septicemia, caused by Klebsiella pneumoniae, secondary to bacterial translocation, acute appendicitis presenting with, 1023.e3–1023.e4

Septic shock, herbal medicines as future possibilities for the treatment of, 107–112 Serotonin syndrome, induced by cyclobenzaprine (letter), 509–510

Sex factors

association of female gender with ED delays to diagnosis of appendicitis in the CT

impact on paramedic pain management in prehospital setting, 525-529

Sexual assault, in postmenopausal women, epidemiology and patterns of genital injury, 922-929

Sexually transmitted infections (STI), rate in ED patients with vaginal bleeding.

Shift length, and volume, resident productivity in ED as a function of, 313-319 Shock

onset, respiratory failure, and coagulopathy after copperhead envenomation, 377.e1-377.e5

and respiratory insufficiency, prearrest signs of, influence on outcome in patients with emergency medical service-witnessed out-of-hospital cardiac arrest, 440-448

ShotBlocker, efficacy in reducing pediatric pain associated with intramuscular injections, 536–543

Shoulder dislocation, anterior, Spaso technique for reduction of, 466–469
Shoulder reduction, bedside ultrasound for verification of, 134.e5–134.e6
(letter), 503–504

Sickle cell disease (SCD), admission and length of stay due to VOC in children with, 797-801

Simplified stratification scoring model, predicting resource use at mass gatherings using, 337–343

Skin tears, etiology, risk factors, classification, and therapeutic options, 729–733
Small bowel malrotation, congenital, precipitous decline of gravid patient with,
629,e5–629,e6

Small bowel obstruction, after gastric bypass, elevated lipase levels in diagnosis of, 1167.e5-1167.e7

Smallpox, suspected cases in Los Angeles County from 2002-2006 and areas for education, 55-62

Snakebite, efficacy of low-dose antivenone therapy on morbidity and mortality in (letter), 247-248

Social support, among adults seeking care for acute respiratory tract infections in ED, 582-587

Sodium bicarbonate, tricyclic antidepressant toxicity treated with, 1168.e3–1168.e7 Sodium polystyrene sulfate, colonic necrosis due to, 753.e1–753.e2

Solanum erianthum, intoxication with, mimicking an acute cerebrovascular disease, 249.e1–249.e2

Spaso technique, for reduction of anterior shoulder dislocation, 466-469 Spinal epidural abscess

cluster-like headache as an opening symptom of, 370.e5–370.e6 positive for methicillin-resistant Staphylococcus aureus, 514.e7–514.e9

Spiral computed tomography (SCT), prevalence of incidental findings in trauma patients detected by, 428-435

Spleen

infarction

and abscess, complicating infective endocarditis, 1021.e3-1021.e5 clinical presentation of, 262-265

rupture, after use of a mechanical CPR device, 1017.e1-1017.e2

Splenic artery aneurysm, rupture of, during early pregnancy, 898.e5–898.e6 Staphylococcus aureus

community-acquired methicillin-resistant

emergency physicians' treatment of skin and soft tissue infections in era of, 68-70 initial antibiotic choice for treatment of cellulitis in pre- and post-emergence of, 436-439

cutaneous abscesses containing, antibiotic resistance in patients with HIV, 344-347 methicillin-resistant

causing aortitis, in a cardiac transplant patient, 1174.e5-1174.e6

holospinal epidural abscess positive for, 514.e7-514.e9

Stat laboratory, value of CSF analysis in, 758.e1–758.e2 Status epilepticus, confused with eclampsia due to proteinuria, 625.e5–625.e6

Streptococcal infection, lethal necrotizing fasciitis after minor contusion injury in a child, 1017.e3–1017.e5

Streptococcus pneumoniae

as cause of fatal Waterhouse-Friderichsen syndrome, in a vaccinated adult with congenital asplenia, 751.e3-751.e5

pyomyositis due to, 633.e1-633.e3

validation of IDSA/ATS criteria to predict severe community-acquired pneumonia caused by, 968–974

Streptococcus pyogenes infection, acute appendicitis as an unusual presentation of, 254,e1-254,e2

Stroke

acute, additive accuracy of the Triage Stroke Panel to the triaging nurse for diagnosis of, 558-562

emergency medical services use by patients with, 141-145

ST-segment elevation, and troponin elevation, myocardial contusion-induced RBBB, 375.e5–375.e7

ST-segment elevation myocardial infarction (STEMI)

body surface mapping versus 12-lead ECG for detection of, 779-784

evolution of ECG changes during, 734-746

facilitated angioplasty with combined thrombolytic therapy and glycoprotein IIb-IIIa inhibitors, 683-690

PCI-related time delay, patient's risk profile, and survival benefits of primary angioplasty versus fibrinolysis, 712–719

vs. Takotsubo cardiomyopathy, ECG ST-segment elevation in, 220-226 Subarachnoid hemorrhage

acute, gross xanthochromia on lumbar puncture with absence of, 621-623 CT for diagnosis of cerebral venous thrombosis presenting with, 96-106

Subarachnoid space, pneumorrhachis in, caused by isolated head trauma, 902,e3-902,e6

Subcutaneous infusion, enzyme-assisted, rapid vascular glucose uptake via, 1072–1080

Subdural hematoma, subacute, after a roller coaster ride, 517.e5–517.e6

Subperiosteal hematoma, caused by traumatic subperiosteal pseudoaneurysm,

1172.e5–1172.e7

Subperiosteal pseudoaneurysm, traumatic, causing subperiosteal hematoma, 1172.e5-1172.e7

Subretinal hemorrhage, acute, and exudative age-related macular degeneration, role of bedside ocular ultrasound in ED diagnosis and management of, 369.e5-369.e7

Sulpiride poisoning, acute, causing long QT syndrome and torsades de pointes, 1016.e1-1016.e3

Sunitinib, myxedema coma induced by, in a patient presented to the ED with severe hypothermia, 370.e1–370.e3

Surgical emergency

due to an incarcerated paraesophageal hernia, 134.e1-134.e3

in pediatric pheochromocytoma (letter), 1161

Survival, PCI-related time delay, patient's risk profile and, of primary angioplasty versus fibrinolysis in STEMI, 712–719

Surviving Sepsis Campaign, guidelines at the ED, bundle of actions to improve adherence to, 668-674

Syncope

cardiac literature 2008, 481-491

prevalence in the ED and CPU, 271-279

Syndromic surveillance system, testing using a severe acute respiratory syndrome model, 419-423

Systemic inflammatory response syndrome (SIRS), prognostic significance of BNP in ED patients with, 701-706

Systemic lupus crythematosus (SLE), AIDP as initial presentation of, 900.e3–900.e5

System status management, and time demand analysis, for predicting ED attendances and rostering, 16–22

(letter), 362-363

Tachycardia, paroxysmal supraventricular, adenosine-induced cardiopulmonary arrest in a patient with, 901.e1-901.e2

Takotsubo cardiomyopathy, vs. STEMI, ECG ST-segment elevation in, 220–226
Tamsulosin, use by emergency physicians for the treatment of ureteral stones, 776–778

TASER CEWs, prolonged exposure of, effect on markers of acidosis in exhausted humans, 413-418

(letter), 747-749

TASER injury, hypothermia protocol for resuscitation of a patient in asystole after, 515.e1-515.e2

Temperature, jugular bulb versus esophageal, during head and neck cooling after cardiac arrest, 460-465

Temporal artery, superficial, pseudoaneurysm of, ultrasonographic diagnosis in ED, 627.e1–627.e3

Terrorism, nuclear, clues for EM of specific injuries (letter), 1148-1149

Tetralogy of Fallot (TOF), Tet spell and diagnosis of, in an adult, 130.e3-130.e5 (letter), 893

Tet spell, and diagnosis of TOF, in an adult, 130.e3-130.e5 (letter), 893

Thigh hematoma, spontaneous, associated with diclofenac, 129.e1-129.e2

Thoracic impedance, versus chest radiograph, to diagnose acute pulmonary edema in the ED. 770–775

Thoracic spine

epidural hematoma of, after stretch exercise, 902.e1-902.e2

spontaneous epidural hematoma of, 628.e5-628.e6

Thrombocytopenia, induced by enoxaparin, systemic bleeding in, 756.e1-756.e2

Thromboembolism, acute, of the left coronary ostium, sudden death from, 1172.e1-1172.e3

Thrombolysis in Myocardial Infarction (TIMI) risk score

combined with clear-cut alternative diagnosis, for risk stratification of patients with chest pain, 37-42

limitations in patients with acute chest pain, 43-48 (letter), 365-367

Thrombolytic therapy, facilitated angioplasty with combined glycoprotein IIb-IIIa inhibitors and, in patients with STEMI, 683–690

Thrombosis

cerebral vein

presenting with subarachnoid hemorrhage, CT for diagnosis of, 96–106 unusual association between Guillain-Barre syndrome and, 758.e3–758.e4 portal vein

acute, after blunt abdominal trauma, 372.e1-372.e3

deficiency, 1169.e3-1169.e6

and liver failure, in a patient with pheochromocytoma crisis, 630.e3-630.e5 simultaneous, of double coronary arteries, in a young male with antithrombin III

very late angiographic stent, of 2 drug-eluting stents, 131.e5-131.e8

Tibial artery, anterior, pseudoaneurysm of, detected by emergency medicine physician performing bedside ultrasound, 129.e3–129.e4

Tiletamine, veterinary anesthesia containing, movement disorder caused by abuse of, 1022.e5–1022.e6

Time demand analysis, and system status management, for predicting ED attendances and rostering, 16–22

(letter), 362-363

Toddler, see Pediatrics

Torsades de pointes, and long QT syndrome, induced by acute sulpiride poisoning, 1016.e1–1016.e3

Tramadol intoxication, multiply organ dysfunction syndrome due to, 903,e5-903,e7

Trastuzumab, cardiomyopathy associated with, presenting as new onset of complete

LBBB mimicking ACS, 903.e1-903.e3

Trauma

blunt

abdominal, acute portal venous thrombosis after, 372.e1–372.e3 liver, multipolar radiofrequency ablation to control hemorrhage from, 197–201 subperiosteal pseudoaneurysm after, causing subperiosteal hematoma, 1172.e5–1172.e7

isolated head, entire subarachnoid space pneumorrhachis caused by, 902.e3-902.e6

patients, in critical care transport, factors associated with analyssia in, 49-54 prevalence of incidental findings detected by SCT in, 428-435

thoracic, late presentation of jejunal perforation after, 1177.e1–1177.e3

Triage Stroke Panel, additive accuracy to the triaging nurse for acute stroke diagnosis,

558–562

Tricyclic antidepressant. see Antidepressant, tricyclic

Trigeminal artery, primitive, symptomatic improvement of oculomotor palsy due to, relation between blood pressure control and, 634.e5–634.e7

Trigger point injection, treatment for renal colic, 252.e3-252.e4

Troponin elevation, and ST-segment elevation, myocardial contusion-induced RBBB, 375,e5-375,e7

Troponin I, cardiac

clevated levels of, correlation with pulmonary artery obstruction index, in ED patients with pulmonary embolism, 449-453

falsely elevated, attributed to inappropriate dilution material (letter), 123–125
Tuberculosis, associated with IRIS, characterized by hypercalcemia, 629.e1–629.e3
Tuberculous pyomyositis, role of immune reconstitution inflammatory syndrome in,
251.e1–251.e2

Turbinectomy, middle, as complication of nasopharyngeal airway placement, 513.e3-513.e4

T-wave inversion, attributed to cardiac memory phenomenon, 898.e1-898.e4

Ultrasonography

bedside

effect of pulmonary contusion on lung sliding during (letter), 363–365 of the internal jugular vein, correlation with central venous pressure, 851–855 ocular, role in ED diagnosis and management of acute subretinal hemorrhage and exudative age-related macular degeneration, 369,e5–369,e7 performed by emergency medicine physician, pseudoaneurysm of the anterior

performed by emergency medicine physician, pseudoaneurysm of the anterior tibial artery detected by, 129.e3–129.e4

for verification of shoulder reduction, 134.e5-134.e6

for verification of shoulder reduction (letter), 503-504

contrast-enhanced, for diagnosis of renal lesion from acute uncomplicated pyelonephritis in the ED (letter), 1157–1159

detection of radio-occult interstitial lung involvement in measles pneumonitis, 128.e1–128.e3

for determination of maneuvers to increase cross-sectional area and decrease compressibility of internal jugular vein during simulated venipuncture, 454-459

- in diagnosis of papilledema and increased intracranial pressure in pseudotumor cerebri, 376.e1-376.e2
- for diagnosis of superficial temporal artery pseudoaneurysm in the ED, 627.e1-627.e3
- emergency
- bedside, for diagnosis of rib fractures, 617-620
- ruptured interstitial pregnancy diagnosed by, in the ED, 1170.e1-1170.e2
- of lung
- acute chest syndrome diagnosed by, 516.e5-516.e6
- for diagnosis of pneumonia in the ED, 379-384
- vs. standard technique, in patients with difficult vascular access, EDT use of, 135-140
- Ure teral stones, use of α -blockade by emergency physicians for the treatment of, 776-778
- Urinalysis, versus urine culture, for evaluation of UTI in febrile infants presenting to the ED, 930-932
- Urinary tract infection (UTI)
- in febrile infants presenting to the ED, urine culture versus urinalysis for evaluation
- septic arthritis of the hip caused by nontyphi Salmonella after, 373.e5-373.e8
- Urine culture, versus urinalysis, for evaluation of UTI in febrile infants presenting to the ED. 930–932
- Urine dipstick test, for blood, in detection of rhabdomyolysis in patients with suspected heat injury, 875–877
- Uterine bleeding, chronic, severe lactic acidosis as a result of iron deficiency anemia due to, 377, e7–377, e9
- Uvular necrosis, after orotracheal intubation, 631.e3-631.e4

Vaccination

- fatal pneumococcal Waterhouse-Friderichsen syndrome in an adult with congenital asplenia after, 751.e3-751.e5
- influenza
- effective program in ED (letter), 1154-1157
- given in ED, factors influencing acceptance of, 1027-1033
- Vaginal bleeding, rate of STI in ED patients with, 563-569
- Valproic acid intoxication
 - imitating brain death, 1177.e5-1177.e6
 - that was unrecognized, 250.e1-250.e2
- Valsalva maneuver, in-flight, life-threatening Wünderlich syndrome induced by (erratum), 511
- Vascular access, difficult, EDT use of ultrasound-guidance vs. standard technique in patients with, 135–140
- Vasoocclusive crisis (VOC), in children with SCD, admission and length of stay due to, $797{-}801\,$

- Vasopressin, dose-response in a rat model of asphyxial cardiac arrest, 935-941 Ventilation
- mechanica
- critical care literature 2008, 1000-1009
- duration of, effect of expedited admission of critically ill patients from ED to ICU on, 843-846
- prehospital, of a critical cardiac tamponade, 1020.e1-1020.e3
- noninvasive, critical care literature 2008, 1000-1009
- Ventricular fibrillation (VF), influence of CPR time before first defibrillation on outcome of out-of-hospital patients, 470-474
- Ventricular pseudoaneurysm, ischemic stroke after administration of fibrinolytics in a patient with, 1176.e5–1176.e7
- Vertebral artery dissection, traumatic, presenting with Wallenberg syndrome, after a motorcycle collision, 131.e1-131.e3
- Vertical banded gastroplasty, epigastric pain as late mechanical complication after, 633.e5–633.e7
- Very late angiographic stent thrombosis (VAST), of 2 drug-eluting stents, 131,e5-131.e8
- Videoscope, handheld, vs. direct laryngoscopy, faster intubation in uncomplicated manikin airways, 259–261
- Vocal cord visualization, in human cadavers, Rusch ViewMax versus Macintosh laryngoscopy for, 864–867
- Wallenberg syndrome, after a motorcycle collision, traumatic vertebral artery dissection presenting with, 131.e1–131.e3
- Wasp sting anaphylaxis, coagulation abnormalities induced by, 1176.e1-1176.e3
- Waterhouse-Friderichsen syndrome, fatal pneumococcal, in a vaccinated adult with congenital asplenia, 751.e3–751.e5
- Weather, and air pollution, relation to ED visits for asthma in Japan, 153-159
- Web-based interpreter, of arterial blood gases (letter), 1161-1163
- Weight
- adult, accuracy of readily obtainable anthropometric measurements for estimation of, 1060-1064
- in children, addition of body habitus to length for estimation of, 810-815
- Wheeze, associated with hyperglycemia, 368.e1-368.e2
- Wolff-Parkinson-White syndrome. see Preexcitation syndrome
- Workforce, in EM, current status in the United States, 691-700
- Wünderlich syndrome, life-threatening, induced by in-flight valsalva maneuver (erratum), 511
- Xanthochromia, on lumbar puncture, without acute subarachnoid hemorrhage, 621-623
- Yoga exercise, rectus sheath hematoma caused by, 899.e1-899.e2

